

هيئة التقييس لدول مجلس التعاون دول الخليج العربية

GCC STANDARDIZATION ORGANIZATION (GSO)

مشروع تعديل على اللانحة الفنية GSO 382
على لائحة الحدود القصوى لمتبقيات مبيدات الآفات في المنتجات الزراعية والغذائية
Final Draft Standard FDS

اعداد اللجنة الخليجية رقم TC05
Prepared by GSO Technical Committee No. TC05

GSO TC 05/ FDS /2024

الحدود القصوى لمتبقيات مبيدات الآفات في المنتجات الزراعية والغذائية
MAXIMUM LIMITS OF PESTICIDE RESIDUES IN AGRICULTURAL AND FOOD PRODUCTS

SUBSTANCE	COMMODITY	MRL	REMARK
Acetamiprid	Pistachio nuts	1mg/kg	
	spices, seeds	2 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Acetochlor	Alfalfa hay	30 mg/Kg	(dw)
	Barley, hay and/or straw	0.3 mg/Kg	
	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.02 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.02 mg/Kg	At or about the limit of determination.
	Millet	0.04 mg/Kg	At or about the limit of determination.
	Millet fodder,dry	0.3 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Acibenzolar-S-methyl	Fruiting vegetables, cucurbits (group)	0.8 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Afidopyropen	Alfalfa,hay and straw	8mg/kg	dry weight
	Almond hulls	0.6 mg/kg	dry weight
	Apples, dried	0.02 mg/kg	(peeled)
	Cabbages, head	0.5 mg/kg	
	Cherries (subgroup)	0.03 mg/kg	
	Citrus fruits (group)	0.15 mg/kg	
	Citrus pulp, dried	0.4 mg/kg	(Based on processing studies on oranges)
	Clover,hay and straw	10mg/kg	dry weight
	Coriander, leaves	5 mg/kg	
	Cotton gin trash	1.5 mg/kg	
	Cotton seed	0.08 mg/kg	
	Cucumber	0.7 mg/kg	
	Dill, leaves	5 mg/kg	
	Edible offal (mammalian)	0.2 mg/kg	
	Eggplants (subgroup)	0.15 mg/kg	
	Eggs	0.01 mg/kg	At or about the limit of determination.
	Flowerhead brassicas (subgroup)	0.4 mg/kg	
	Fruiting vegetables, cucurbits – melons, pumpkins and winter squashes (subgroup)	0.05 mg/kg	
	Ginger, rhizome	0.01 mg/kg	(fresh) At or about the limit of determination.
	Leafy greens (subgroup)	2 mg/kg	
	Leaves of Brassicaceae (subgroup)	5 mg/kg	
	Mammalian fats (except milk fats)	0.01 mg/kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/kg	At or about the limit of determination.
	Milks	0.001 mg/kg	At or about the limit of determination.
	Orange oil, edible	0.7 mg/kg	(Based on processing studies on oranges)

	Parsley, leaves	5 mg/kg	(leaves)
	Peaches (including apricots and nectarine) (subgroup)	0.01 mg/kg	
	Peppers (subgroup)	0.1 mg/kg	(excluding martynia, okra and roselle)
	Peppers chili, dried	1 mg/kg	
	Plums (including fresh prunes) (subgroup)	0.01 mg/kg	At or about the limit of determination.
	Pome fruits (group)	0.03 mg/kg	(excluding persimmon)
	Poultry fats	0.01 mg/kg	At or about the limit of determination.
	Poultry meat	0.01 mg/kg	At or about the limit of determination.
	Poultry, edible offal of	0.01 mg/kg	At or about the limit of determination.
	Sorghum grain	0.2 mg/kg	
	Sorghum stover	0.3 mg/kg	dry weight
	Soya bean (dry)	0.01 mg/kg	At or about the limit of determination.
	Squash, summer	0.07 mg/kg	
	Stems and petioles (subgroup)	3 mg/kg	
	Strawberry	0.15 mg/kg	
	Tomato, dried	0.7 mg/kg	
	Tomatoes (subgroup)	0.15 mg/kg	
	Tree nuts (group)	0.01 mg/kg	At or about the limit of determination.
	Tuberous and corm vegetables (subgroup)	0.01 mg/kg	At or about the limit of determination.
	Turmeric, root	0.01 mg/kg	(fresh) At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Aldicarb	Sorghum grain	0.1 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Azoxystrobin	Guava	0.2 mg/Kg	
	Papaya	4 mg/Kg	
	Sugar beet	4 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Bentazone	Dry beans (subgroup)	0.5 mg/Kg	
	Dry peas (subgroup)	0.5 mg/Kg	
	Edible offal (mammalian)	0.04 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Benzovindiflupyr	Bulb onions (subgroup)	0.02 mg/Kg	
	Dry beans (subgroup)	0.15 mg/kg	(except soya bean, dry)
	Dry peas (subgroup)	0.2 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Bifenthrin	Avocado	0.5mg/kg	
	Barley(it is an extra name substance; it is not in the Codex chart)	0.05 mg/Kg	At or about the limit of determination.
	Barley straw and fodder, Dry	0.5 mg/Kg	

	Eggplant (subgroup)	0.4 mg/Kg	
	Peanut	0.05mg/kg	
	Peppers (group)	0.4 mg/Kg	
	Peppers Chili,dried	4 mg/Kg	
	Pomegranate	0.5mg/kg	
	Straw and hay of cereal grains (excluding pseudocereals) (subgroup)	1 mg/Kg	(dw)
SUBSTANCE	COMMODITY	MRL	REMARK
Bixafen	Barley	1.5mg/kg	
	Cotton Seed	0.3mg/Kg	
	Maize	0.01mg/Kg	At or about the limit of determination
	Maize bran, unprocessed	0.03mg/Kg	
	Maize oil, edible	0.02mg/kg	
	Maize, hay and/or straw	5mg/kg	(dw)
	Peanut	0.01mg/Kg	At or about the limit of determination
	Peanut oil edibel	0.03(mg/kg)	
	Pulses (group)	0.04mg/kg	(except soya bean (dry)) (based on rotational crops)
	Root and tuber Vegetables(group)	0.06mg/kg	(based on rotational crops)
	sorghum grain	2mg/Kg	
	soya bean(dry)	0.08mg/Kg	
	soy bean oil, refined	0.15mg/kg	
	soy bean, hulls	0.3mg/kg	
	sunflower seed	3mg/kg	
	Sweet corn (corn on the cob) (kernels plus cob with husk removed)	0.01mg/Kg	At or about the limit of determination
	Wheat	0.3mg/Kg	
	wheat bran processed	0.8mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Boscalid	Apple	2 mg/Kg	
	Cherries	5mg/kg	
	Mango	2 mg/kg	
	Peaches (including apricots and nectarine) (subgroup)	4mg/kg	
	Plums (including fresh prunes) (subgroup)	1.5 mg/Kg	
	Pome fruits (group)	2 mg/Kg	
	Prunes	5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Buprofezin	Almond hulls	3 mg/Kg	
	Citrus oil, edible	6 mg/Kg	
	Citrus pulp,Dry	5 mg/Kg	
	Eggs	0.01mg/Kg	At or about the limit of determination
	Grape, dried (= Currants, Raisins and Sultanas)	2 mg/kg	
	Mammalian fats (except milk fats)	0.01mg/kg	
	Olive oil, virgin	20mg/kg	

	Poultry fats	0.01mg/Kg	At or about the limit of determination
	Poultry meat	0.01mg/Kg	At or about the limit of determination
	Poultry,edible offal of	0.01mg/Kg	
	Tree nuts (group)	0.05mg/Kg	At or about the limit of determination
SUBSTANCE	COMMODITY	MRL	REMARK
Carbendazim	spices, seeds	5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Chlorantraniliprole	Avocado	0.3mg/kg	
	Dry beans (subgroup)	0.3 mg/Kg	(except soya beans)
	Dry peas (subgroup)	0.3 mg/Kg	
	Palm Kernel oil, crude	2mg/kg	
	Peanut	0.06 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Chlordane	Almonds	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Cotton seed oil,Crude	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Eggs	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Fruits and vegetables	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues. At or about the limit of determination.
	Hazelnuts	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Lin seed oil,crude	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Maize	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	(only for MRLs)The MRL is based on extraneous residues.(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.002 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in"Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". (only for MRLs) The MRL is based on extraneous residues.
	Oats	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Pecan	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Poultry meat	0.5 mg/Kg	(only for MRLs) The MRL is based on extraneous residues . (for meat) The MRL/EMRL applies to the fat of meat.
	Rice,polished	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Rye	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Sorghum	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Soya bean oil,crude	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.

	Soya bean oil,refined	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Walnuts	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Wheat	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
SUBSTANCE	COMMODITY	MRL	REMARK
Chlorfenapyr	Edible offal (mammalian)	0.05 mg/kg	
	Eggs	0.01 mg/kg	
	Garlic	0.01 mg/kg	At or about the limit of determination.
	Lemons and limes (including citron) (subgroup)	0.8 mg/kg	
	Mammalian fats (except milk fats)	0.6 mg/kg	
	Meat (from mammals other than marine mammals)	0.6 mg/kg	(for meat) The MRL/EMRL applies to the fat of meat
	Melons,except watermelon	0.4 mg/kg	
	Milks	0.03 mg/kg	
	Onion,bulb	0.01 mg/kg	At or about the limit of determination.
	Oranges,sweet,sour (including Orange-like hybrids) (subgroup)	1.5 mg/kg	
	Papaya	0.3 mg/kg	
	Peppers (subgroup)	0.3 mg/kg	
	Peppers chili,dried	3 mg/kg	
	Potato	0.01 mg/kg	At or about the limit of determination.
	Poultry fats	0.02 mg/kg	
	Poultry meat	0.02 mg/kg	(for meat) The MRL/EMRL applies to the fat of meat
	Poultry,edible offal of	0.01 mg/kg	
	Soya bean (dry)	0.08 mg/kg	
	Tea,green,black (black,fermented and dried)	60 mg/kg	
	Tomato	0.4 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Chlormequat	Milk	0.3 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Chlorothalonil	Cranberry	15 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Chlorpyrifos	-Alfalfa fodder	5 mg/Kg	
	-Almonds	0.05 mg/Kg	
	-Banana	2 mg/Kg	
	-Broccoli	2 mg/Kg	
	-Cabbages,Head	1 mg/Kg	
	-Carrot	0.1 mg/Kg	
	-Cattle kidney	0.01 mg/Kg	
	-Cattle liver	0.01 mg/Kg	
	-Cattle meat	1 mg/Kg	
	-Cauliflower	0.05 mg/Kg	
	-Chinese cabbage (typepe-tsai-)	1 mg/Kg	

-Citrus fruits	1 mg/Kg	
-Coffee beans	0.05 mg/Kg	
-Common bean (pods and/or immature seeds)	0.01 mg/Kg	
-Cotton seed	0.3 mg/Kg	
-Cotton seed oil,Edible	0.05 mg/Kg	
-Cranberry	1 mg/Kg	
-Dried grapes (=currants,raisins and sultanas)	0.1 mg/Kg	
-Eggs	0.01 mg/Kg	
-Grapes	0.5 mg/Kg	
-Maize	0.05mg/Kg	
-Maize fodder (dry)	10 mg/Kg	
-Maizeoil,Edible	0.2 mg/Kg	
-Milk of cattle,goats & sheep	0.02 mg/Kg	
-Onion,Bulb	0.2 mg/Kg	
-Peach	0.5 mg/Kg	
-Peas (pods and succulent=immature seeds)	0.01 mg/Kg	
-Pecan	0.05 mg/Kg	
-Peppers chili,dried	20 mg/Kg	
-Peppers,Sweet (including pimen-to or pimienta)	2 mg/Kg	
-Plums(including fresh prunes)	0.5 mg/Kg	
-Pome fruits	1 mg/Kg	
-Potato	2 mg/Kg	
-Poultry meat	0.01 mg/Kg	
-Poultry,Edible offal of	0.01 mg/Kg	
-Rice	0.5 mg/Kg	
-Sheep meat	1 mg/Kg	
-Sheep,Edible offal of	0.01 mg/Kg	
-Sorghum	0.5 mg/Kg	
-Sorghum straw and fodder,Dry	2 mg/Kg	
-Soya bean (dry)	0.1 mg/Kg	
-Soya bean oil refined	0.03 mg/Kg	
-Spices,Fruits and berries	1 mg/Kg	
-Spices,roots and rhizomes	1 mg/Kg	
-Spices,Seeds	5 mg/Kg	
-Strawberry	0.3 mg/Kg	
-Sugar beet	0.05 mg/Kg	
-Sweet corn (corn-on-the-cob)	0.01 mg/Kg	
-Tea, green, black (black,fermented and dried)	2 mg/Kg	

	Walnuts	0.05 mg/Kg	
	Wheat	0.5 mg/Kg	
	Wheat flour	0.1 mg/Kg	
	Wheat straw and fodder, Dry	5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Clothianidin	Barley	0.07 mg/Kg	(combined clothianidin and thiamethoxam use)
	Barley bran, processed	0.15 mg/kg	(combined clothianidin and thiamethoxam use)
	Barley, hay and/or straw	0.1 mg/Kg	(combined clothianidin and thiamethoxam use) (dw)
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Liver of cattle, goat s& sheep	0.4 mg/Kg	
	Milks	0.05 mg/Kg	
	Oat, hay and/or straw	1 mg/kg	(combined clothianidin and thiamethoxam use) (dw)
	Oats	0.07mg/Kg	(combined clothianidin and thiamethoxam use)
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, edible offal of	0.4 mg/Kg	
	Rice	0.9 mg/Kg	(combined clothianidin and thiamethoxam use)
	Rice bran unprocessed	1 mg/kg	(combined clothianidin and thiamethoxam use)
	Rice, hay and / or straw	0.2 mg/kg	(combined clothianidin and thiamethoxam use) (dw)
	Rice, hulls	4 mg/kg	(combined clothianidin and thiamethoxam use)
	Rice husked	0.5 mg/kg	(combined clothianidin and thiamethoxam use)
	Rice polished	0.5 mg/kg	(combined clothianidin and thiamethoxam use)
	Sorghum, hay and / or straw	0.08 mg/Kg	(combined clothianidin and thiamethoxam use) (dw)
	sorgo or sorghum sweet	0.4mg/kg	(based on thiamethoxam use only)
	sweet corn stover	0.05mg/Kg	(combined clothianidin and thiamethoxam use) (dw)
	Sweet corn (subgroup)	0.01 mg/Kg	(combined clothianidin and thiamethoxam use) At or about the limit of determination.
	Triticale	0.15 mg/kg	(combined clothianidin and thiamethoxam use)
	Triticale, hay and straw	1 mg/kg	(combined clothianidin and thiamethoxam use) (dw)
	Wheat	0.15 mg/Kg	(combined clothianidin and thiamethoxam use)

	Wheat bran processed	6 mg/kg	(combined clothianidin and thiamethoxam use)
	Wheat germ	6 mg/kg	(combined clothianidin and thiamethoxam use)
	Wheat, hay and / or straw	1 mg/Kg	(combined clothianidin and thiamethoxam use) (dw)
SUBSTANCE	COMMODITY	MRL	REMARK
Cyantraniliprole	Cranberry	0.08 mg/kg	
	Fruiting vegetables, cucurbits (group)	0.3 mg/Kg	
	Rice, hay and / or straw	1.7 mg/kg	(dw)
	Strawberry	1.5 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Cyazofamid	Green onions (subgroup)	6 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Cyclaniliprole	Almond hulls	6 mg/kg	
	Almonds	0.03 mg/kg	
	Bush berries (subgroup)	1.5 mg/kg	
	Cabbages, head	0.7 mg/kg	
	Cane berries (subgroup)	0.8 mg/kg	
	Cherries (subgroup)	0.7 mg/kg	
	Citrus fruits (group)	0.4 mg/kg	
	Citrus oil, edible	50 mg/kg	
	Edible offal (mammalian)	0.2 mg/kg	
	Eggplants (subgroup)	0.15 mg/kg	
	Eggs	0.01 mg/kg	At or about the limit of determination.
	Elderberries	1.5 mg/kg	
	Flowerhead brassicas (subgroup)	0.8 mg/kg	
	Fruiting vegetables, cucurbits - cucumbers and summer squashes (subgroup)	0.05 mg/kg	
	Fruiting vegetables, cucurbits – melons, pumpkins and winter squashes (subgroup)	0.1 mg/kg	
	Grapes	0.6 mg/kg	
	Guelder rose	1.5 mg/kg	
	Leafy greens (subgroup)	7 mg/kg	
	Leaves of Brassicaceae (subgroup)	10 mg/kg	
	Low growing berries (subgroup)	0.4 mg/kg	(except cranberries)
	Mammalian fats (except milk fats)	0.25 mg/kg	

	Meat (from mammals other than marine mammals)	0.25 mg/kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milk fats	0.2 mg/kg	
	Milks	0.01 mg/kg	
	Peaches (including apricots and nectarine) (subgroup)	0.3 mg/kg	
	Peppers (subgroup)	0.15 mg/kg	(except martynia, okra and roselle)
	Peppers chili, dried	1.5 mg/kg	
	Plums (including fresh prunes) (subgroup)	0.15 mg/kg	
	Pome fruits (group)	0.2 mg/kg	(excluding Japanese persimmons)
	Poultry fats	0.01 mg/kg	At or about the limit of determination.
	Poultry meat	0.01 mg/kg	At or about the limit of determination.
	Poultry, edible offal of	0.01 mg/kg	At or about the limit of determination.
	Prunes	0.6 mg/kg	
	Straw and hay of cereal grains (excluding pseudocereals) (subgroup)	0.45 mg/kg	(dw)
	Tea, green, black (black, fermented and dried)	50 mg/kg	
	Tomato, dried	0.35 mg/kg	
	Tomatoes (subgroup)	0.08 mg/kg	
	Tuberous and corm vegetables (subgroup)	0.01 mg/kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Cyhalothrin (includes lambda-Cyhalothrin)	Grape, dried(=currants, Raisins and sultanas)	0.3mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Cypermethrin (including alpha-and zeta-cypermethrin)	Ginseng	0.03 mg/kg	At or about the limit of determination.
	Ginseng, dried including red ginseng	0.15 mg/Kg	
	Ginseng, extracts	0.06 mg/kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Cyprodinil	Beans without pods (Phaseolus spp.) (succulent seeds)	0.06 mg/kg	
	Dry beans (subgroup)	0.2 mg/kg	(except soya beans)
	Dry beas (subgroup)	0.2 mg/kg	(except soya beans)
	Ginseng	0.3 mgkg	
	Ginseng dried	3 mg/kg	
	Peas with pods (subgroup)	2 mg/kg	
	Soya bean (dry)	0.3 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK

Dicamba	Cotton seed	3 mg/Kg	At or about the limit of determination.
	soya bean hulls	15 mg/kg	
	soya bean meal	15 mg/kg	
	soya bean.hay and /or straw	150 mg/kg	(dw)
SUBSTANCE	COMMODITY	MRL	REMARK
Difenoconazole	cotton seed	0.4 mg/kg	
	Cranberry	0.6 mg/kg	
	Ginger rhizome,dried	1.5mg/kg	
	Ginger,rhizome	0.2mg/kg	
	Guava	0.15 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Diquat	Barley	5 mg/Kg	
	Barley straw and fodder,dry	40 mg/kg	(dw)
	Chick-pea (dry)	0.9 mg/kg	
	Dry beans (subgroup)	0.4 mg/kg	
	Dry peas (subgroup)	0.9 mg/kg	except chick- peas,dry
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Mammalian fats(except milk fats)	0.01 mg/kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.001 mg/Kg	At or about the limit of determination.
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry,edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rye	1.5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Ethiprole	soy bean (dry)	0.05mg/kg	
	soy bean, hulls	0.4mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Famoxadone	Bulb onions (subgroup)	0.4mg/kg	
	Cane berries (subgroup)	10 mg/Kg	
	Cucumber	0.2 mg/Kg	
	Fruiting vegetables,Cucurbits-cucumbers and summer squashes (subgroup)	0.6mg/kg	
	Grape pomace dried	7 mg/Kg	
	peppers chili	5 mg/Kg	
	peppers chili.dried	50 mg/Kg	
	Peppers,sweet (including pimento or pimienta)	5 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Fenazaquin	Almond hulls	4 mg/Kg	(dw)
	Cherries (subgroup)	2 mg/kg	
	Edible offal (mammalian)	0.02 mg/kg	At or about the limit of determination.
	Hops,dry	30 mg/kg	

	Mammalian fats (except milk fats)	0.02 mg/kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.02 mg/kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Milk fats	0.02 mg/kg	At or about the limit of determination.
	Milks	0.02 mg/kg	At or about the limit of determination.
	Tree nuts (group)	0.02 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Fenbuconazole	Tea,green,black (black,fermented and dried)	30 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Fenhexamid	Asparagus	0.02 gm/kg	
	Bulb onions (subgroup)	3 mg/Kg	
	peaar	6 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
SUBSTANCE	COMMODITY	MRL	REMARK
Fenpicoxamid	Banana	0.15 mg/kg	
	Edible offal (mammalian)	0.02 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/kg	
	Meat (from mammals other than marine mammals)	0.01 mg/kg	At or about the limit of determination..
	Milks	0.01 mg/kg	At or about the limit of determination..
	Rye	0.15 mg/kg	
	Triticale	0.15 mg/kg	
	Wheat	0.15 mg/kg	
	Wheat,hay and/or straw	30 mg/Kg	(dw)
SUBSTANCE	COMMODITY	MRL	REMARK
Fenpropimorph	Barley, hay and/or straw	5 mg/Kg	
	Kidney of cattle,goats and sheep	0.05 mg/Kg	-
	Liver of cattle, goats and sheep	0.3 mg/Kg	-
	Wheat	0.07gm/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Fenpyroximate	Cherries	2 mg/Kg	-
	Citrus fruits	0.6 mg/Kg	-
	Citrus oil,edible	25 mg/kg	-
	Edible offal (mammalian)	0.8 mg/kg	
	Lemon and Lime, dried pulp	6 mg/Kg	(dw)
	Lemons and limes (including citron) (subgroup)	1 mg/Kg	
	Lemons and limes, edible oil refined	150 mg/kg	
	Mammalian fats (except milk fats)	0.2 mg/kg	
	Meat (from mammals other than marine mammals)	0.2 mg/kg	(for meat)The MRL/EMRL applies to the fat of meat.
	Prunes	0.15 mg/kg	
	Pummelo and grapefruit,dried pulp	3 mg/kg	(dw)

	Pummelo and grapefruit,oil	80 mg/kg	
	Pummelo and grapefruits (including Shaddock-like hybrids,among others grapefruit)	0.5 mg/kg	
	Strawberry	0.3 mg/kg	
	Succulent beans without pods(subgroup)	0.05 mg/kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Flonicamid	Citrus pulp, dried	3 mg/Kg	(dw)
	Lemons and limes (including citron) (subgroup)	1.5 mg/Kg	
	Oranges, sweet, sour (including Orange-like hybrids)	0.4 mg/Kg	
	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.3 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Fluazifop-p-butyl	Bush berries (subgroup)	0.3 mg/kg	
	Cane berries (subgroup)	0.08 mg/kg	
	Currants ,black,red,white	0.01 mg/kg	
	Elderberries	0.3 mg/kg	
	Gooseberry	0.01 mg/kg	
	Guelder rose	0.3 mg/kg	
	Strawberry	3 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Fludioxonil	Almond hulls	20 mg/kg	
	Almond oil	0.3 mg/kg	
	Avocado	1.5 mg/Kg	
	Banana	2 mg/Kg	
	Beans with pods (subgroup)	0.8 mg/Kg	(green pods and immature seeds)
	Blueberries	2 mg/Kg	
	Carrot	1 mg/Kg	
	Celery	15 mg/kg	
	Edible offal (mammalian)	0.1 mg/Kg	
	Eggs	0.02 mg/Kg	
	Green onions (subgroup)	0.8 mg/kg	
	Guava	0.5 mg/kg	
	Mango	7 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Mustard greens	10 mg/Kg	
	Onion,Bulb	0.5 mg/Kg	
	papaya	5 mg/Kg	
	Peas (dry)	0.07 mg/Kg	
	Peas with pods (subgroup)	0.8 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Fluensulfone	Almond hulls	7 mg/kg	(dw)
	Apple juice	0.4 mg/Kg	

	Apple, dried	1 mg/kg	
	Barley, similar grains, and pseudocereals with husks (subgroup)	0.08 mg/kg	
	Citrus fruits (group)	0.2 mg/Kg	
	Citrus oil,edible	1.5 mg/kg	
	Citrus pulp,dried	1.5 mg/kg	
	Coffee beans	0.05 mg/Kg	
	Grape, dried (= Currants, Raisins and Sultanas)	2 mg/kg	
	Hay and/or straw of grasses for animal feed (subgroup)	15 mg/Kg	(except maize fodder and rice straw and fodder, dry)
	Pome fruits (group)	0.3 mg/kg	(except persimmon, Japanese)
	Prunes	0.3 mg/kg	
	Rice cereals (subgroup)	0.04 mg/Kg	
	Rice, hay and/or straw	0.06 mg/Kg	(dw)
	Small fruit vine climbing (subgroup)	0.7 mg/kg	
	Sorghum grain and millet	0.04 mg/Kg	
	Stone fruits (group)	0.09 mg/Kg	
	Straw and hay of cereal grains (excluding pseudocereals) (subgroup)	6 mg/kg	(dw) (except maize fodder and rice straw and fodder dry)
	sugar cane	0.06 mg/Kg	
	sugar cane molasses	0.5 mg/kg	
	sweet corns (subgroup)	0.15 mg/Kg	
	Tree nuts (subgroup)	0.02 mg/Kg	At or about the limit of determination.
	Wheat, similar grains, and pseudocereals without husks (subgroup)	0.08 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Fluopyram	Coffee beans	0.01 mg	
	Poultry fats	1 mg/kg	
	Rice,husked	1.5 mg/kg	
	Rice,polished	0.5 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Flupyradifurone	Avocado	0.6 mg/kg	
	Cacao beans	0.01 mg/kg	At or about the limit of determination.
	Cane berries (subgroup)	6 mg/kg	
	Coffee beans	0.9 mg/kg	
	Cucumber	0.4 mg/kg	
	Hops,dry	10 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Flutianil	Apple	0.15 mg/kg	
	Cherries (subgroup)	0.4 mg/kg	
	Small fruit vine climbing (subgroup)	0.7 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Flutolanil	Brassica leafy vegetables	0.07 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Flutriafol	Edible offal (mammalian)	1 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK

Fluxapyroxad	Alfalfa hay	20 mg/kg	(DM)
	Citrus oil,edible	90 mg/kg	
	Citrus pulp,dry	8 mg/Kg	
	Coffee beans	0.15 mg/kg	
	Cotton seed	0.5 mg/Kg	
	Lemons and limes (including citron) (subgroup)	1 mg/Kg	
	Mandarins (including mandarin-like hybrids) (subgroup)	1 mg/Kg	
	Mango	0.6 mg/kg	
	Oranges,sweet,sour(including orange-like hybrids) (subgroup)	1.5 mg/kg	
	Papaya	1 mg/kg	
	Potato	0.07 mg/Kg	
	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.6 mg/Kg	
	Tuberous and corm vegetables (subgroup)	0.03 mg/kg	(except potato)
SUBSTANCE	COMMODITY	MRL	REMARK
Fosetyl Al	Blackberries	70 mg/kg	(based on Fosetyl-Al use)
	Coffee beans	30 mg/Kg	(based on Fosetyl-Al use)
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Flowerhead brassicas (subgroup)	0.2 mg/Kg	(based on Fosetyl-Al use) At or about the limit of determination.
	Head brassicas (subgroup)	0.2 mg/Kg	(based on Fosetyl-Al use) At or about the limit of determination.
	Kale (Collards, curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kele)	0.2 mg/kg	(based on Fosetyl-Al use) At or about the limit of determination.
	kiwifruit	150 mg/Kg	(based on Fosetyl-Al use)
	pineapple	15 mg/Kg	(based on Fosetyl-Al use)
	poultry fats	0.05 mg/Kg	At or about the limit of determination.
	poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Poultry, edible offal of	0.05 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Glyphosate	Dry beans (subgroup)	15 mg/kg	(except soya beans)
	Dry peas (subgroup)	10 mg/kg	
	Lentil (dry)	5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Guazatine	Cereal grains (group)	0.05 mg/Kg	At or about the limit of determination. (G)
	Citrus fruits	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
SUBSTANCE	COMMODITY	MRL	REMARK
Imazalil	Banana	3 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Barley	0.01 mg/kg	At or about the limit of determination.
	Barley ,hay and/or straw	0.01 mg/kg	

	Citrus fruits (group)	15 mg/kg	The MRL accommodates post-harvest treatment of the commodity. (except subgroups of oranges,sweet,sour and lemons and limes)
	Citrus oil, edible	500 mg/Kg	
	Citrus pulp, dried	70 mg/kg	The MRL accommodates post-harvest treatment of the commodity. (except subgroups of oranges,sweet,sour and lemons and limes). (dw)
	Edible offal (mammalian)	0.3 mg/kg	
	Eggs	0.01 mg/kg	At or about the limit of determination.
	Lemons and limes (including citron) (subgroup)	15 mg/kg	
	Oranges,sweet,sour(including orange-like hybrids) (subgroup)	8 mg/kg	
	Potato	9 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Poultry fats	0.02 mg/kg	At or about the limit of determination.
	Poultry meat	0.02 mg/kg	At or about the limit of determination.
	Poultry,edible offal of	0.02 mg/kg	At or about the limit of determination.
	Tomato	0.3 mg/kg	
	Triticale	0.01 mg/kg	At or about the limit of determination.
	Triticale ,hay and/or straw	0.01 mg/kg	
	Wheat	0.01 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Indoxacarb	Beans with pods (subgroup)	0.9mg/kg	
	Beetroot	0.5mg/kg	
	Bushberries	2mg/kg	
	Dry beans	0.09mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Isofetamid	Beans with pods (subgroup)	0.6 mg/kg	
	Bush berries (subgroup)	4 mg/kg	
	Cane berries (subgroup)	3 mg/kg	
	Cherries (subgroup)	4 mg/kg	
	Dry beans (subgroup)	0.09 mg/kg	
	Dry peans (subgroup)	0.09 mg/kg	
	Peaches (including apricots and nectarine) (subgroup)	3 mg/kg	
	Peas with pods (subgroup)	0.6 mg/kg	
	Plums (including fresh prunes) (subgroup)	0.8 mg/kg	
	Pome fruits (group)	0.6 mg/kg	
	Prunes	3 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Isoprothiolane	Banana	1 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK

Isopyrazam	Melons, except watermelon	0.15 mg/kg	
	Wheat, hay and/or straw	15 mg/kg	(dw)
SUBSTANCE	COMMODITY	MRL	REMARK
Isoxaflutole	Soya beans (dry)	0.04 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Kresoxim-methyl	Barley, similar grains, and pseudocereals with husks (subgroup)	0.15 mg/kg	
	Beetroot	0.05 mg/kg	At or about the limit of determination.
	Currants, black, red, white	0.9 mg/kg	
	Edible offal (mammalian)	0.05 mg/Kg	
	Eggs	0.02 mg/kg	At or about the limit of determination.
	Fruiting vegetables, cucurbits (group)	0.5 mg/kg	
	Garlic	0.01 mg/kg	
	Grape, dried (= Currants, Raisins and Sultanas)	3 mg/Kg	
	Grapes	1.5 mg/Kg	
	Leek	10 mg/kg	
	Mammalian fats (except milk fats)	0.02 mg/Kg	At or about the limit of determination.
	Mango	0.1 mg/kg	
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	At or about the limit of determination.
	Milks	0.02 mg/Kg	At or about the limit of determination.
	Olive oil, virgin	1 mg/Kg	
	Olives for oil production	0.2 mg/kg	
	Peach	1.5 mg/kg	
	Pecan	0.05 mg/kg	At or about the limit of determination.
	Peppers,sweet (including pimento or pimienta)	0.3 mg/kg	
	Pome fruits (group)	0.15 mg/kg	(except Japanese persimmon)
	Poultry fats	0.02 mg/kg	At or about the limit of determination.
	Poultry meat	0.02 mg/Kg	At or about the limit of determination.
	Poultry, edible offal of	0.02 mg/kg	At or about the limit of determination.
	Straw and hay of cereal grains (excluding pseudocereals) (subgroup)	3 mg/Kg	(DM)
	Sugar beet	0.05 mg/kg	At or about the limit of determination.
	Table Olives	0.2 mg/Kg	
	Turnip	0.05 mg/kg	At or about the limit of determination.
	Wheat, similar grains, and pseudocereals without husks (subgroup)	0.05 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Lufenuron	Coffee beans	0.07 mg/kg	
	Edible offal (mammalian)	0.15 mg/Kg	
	Lime	0.4 mg/kg	
	Maize	0.01 mg/kg	
	Mammalian fats(except milk fats)	2 mg/Kg	
	Meat (from mammals other than marine mammals)	2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Melons, except watermelon	0.4 mg/Kg	

	Milk fats	5 mg/Kg	
	Milks	0.15 mg/Kg	
	Orange oil,edible	8 mg/kg	
	Oranges,sweet,sour(including Orange-like hybrids) (subgroup)	0.3 mg/kg	
	Pome fruits (group)	1 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Mandestrobin	Edible offal (mammalian)	0.01 mg/kg	At or about the limit of determination.
	Eggs	0.01 mg/kg	At or about the limit of determination.
	Grape, dried (= Currants, Raisins and Sultanas)	10 mg/kg	
	Grapes	5 mg/kg	
	Mammalian fats (except milk fats)	0.01 mg/kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/kg	At or about the limit of determination.
	Milks	0.01 mg/kg	At or about the limit of determination.
	Poultry fats	0.01 mg/kg	At or about the limit of determination.
	Poultry meat	0.01 mg/kg	At or about the limit of determination.
	Poultry, edible offal of	0.01 mg/kg	At or about the limit of determination.
	Rape seed	0.2 mg/kg	
	Strawberry	3 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Mandipropamid	Beans with pods (subgroup)	1 mg/kg	
	Buib onions (subgroup)	0.05 mg/Kg	
	Cacao beans	0.06 mg/kg	
	Citrus oil, ediable	30 mg/Kg	
	Citrus pulp, dried	1.5 mg/kg	
	Cucumber	0.2 mg/Kg	
	Edible offal (mammalian)	0.01 mg/kg	At or about the limit of determination.
	Eggplant	0.7mg/kg	
	Eggs	0.01 mg/kg	At or about the limit of determination.
	Fruiting vegetables,Cucurbits-cucumbers and summer squashes (subgroup)	0.2mg/kg	
	Fruiting vegetables,Cucurbits-melons,pumpkins and winter squashes (subgroup)	0.4 mg/kg	
	Ginseng	0.15 mg/Kg	
	Ginseng ,dried including red ginseng	4 mg/kg	
	Lemon and limes (including citron) (group)	0.5 mg/Kg	
	Mammalian fats (except milk fats)	0.02 mg/kg	At or about the limit of determination.
	Mandarins (including mandarin-like hybrids) (subgroup)	0.05 mg/Kg	
	Oranges sweet, sour (including Orange-like hybrids) (subgroup)	0.4 mg/kg	
	Potato	0.01 mg/Kg	
	Poultry fats	0.01 mg/kg	At or about the limit of determination.

	Poultry meat	0.01 mg/kg	At or about the limit of determination.
	Poultry, edible offal of	0.01 mg/kg	At or about the limit of determination.
	Pummelo and grapefruits (including Shaddock-like hybrids, among others Grapefruit) (subgroup)	0.2 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Mesotrione	Almond hulls	0.04 mg/kg	(dw)
	Citrus fruits (group)	0.01 mg/kg	
	Pome fruits (group)	0.01 mg/kg	
	Stone fruits (group)	0.01 mg/kg	At or about the limit of determination.
	Tree nuts (group)	0.01 mg/kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Metaflumizone	Apples	0.9 mg/kg	
	Coffee beans	0.15 mg/kg	
	Edible offal (mammalian)	0.02 mg/Kg	At or about the limit of determination.
	Eggs	0.02 mg/Kg	
	Grapes dried (=currants, raisins and sultanas)	13 mg/Kg	
	Grapes	5 mg/Kg	
	Lemon and limes (including citron) (subgroup)	2 mg/Kg	
	Maize	0.04 mg/kg	
	Mammalian fats (except milk fats)	0.15 mg/kg	
	Melons, except watermelon	1 mg/Kg	
	Milk fats	0.6 mg/kg	
	Milks	0.02 mg/kg	At or about the limit of determination.
	Orange oil, edible	100 mg/kg	
	Oranges sweet, sour (including Orange-like hybrids) (subgroup)	3 mg/Kg	
	Poultry fats	0.08 mg/Kg	
	Poultry meat	0.02 mg/kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Poultry, edible offal of	0.02 mg/kg	At or about the limit of determination.
	Soya beans (dry)	0.2 mg/Kg	
	Sugar cane	0.02 mg/kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Metalaxyl	Asparagus	0.05 mg/Kg	
	Broccoli	0.5 mg/Kg	
	Brussels sprouts	0.15 mg/kg	(Residue data that was the basis for the estimation: Metalaxyl-M (MM))
	Cabbages, head	0.06 mg/kg	(Residue data that was the basis for the estimation: Metalaxyl-M (MM))
	Carrot	0.02 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM) At or about the limit of determination.
	Cauli flower	0.5 mg/Kg	
	Cereal grains	0.05 mg/Kg	
	Cotton seed	0.05 mg/Kg	

	Flowerhead brassicas (subgroup)	0.2 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM)
	Ginseng	0.03 mg/Kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM) At or about the limit of determination.
	Grapes	1.5 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM)
	Lettuce, leaf	1.5 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM)
	Melons, except watermelon	0.15 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM)
	Onion, bulb	0.03 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM)
	pear	0.02 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM) At or about the limit of determination.
	Pepper, black, white	2 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM)
	Peanut	0.1 mg/Kg	
	Peas, shelled (succulent seeds)	0.05 mg/Kg	
	Pome fruits	1 mg/Kg	
	Pineapple:	0.1mg/kg	
	Potato	0.02 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM)
	Raspberries, red, black	0.2 mg/Kg	
	Soya bean (dry)	0.05 mg/Kg	
	Spices, Seeds	5 mg/Kg	
	Spinach	0.02 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM) At or about the limit of determination.
	Sunflower seed	0.01 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM) At or about the limit of determination.
	Tomatoes (subgroup)	0.3 mg/kg	Residue data that was the basis for the estimation: Metalaxyl-M (MM)
SUBSTANCE	COMMODITY	MRL	REMARK
Metconazole	Banana	0.1 mg/kg	At or about the limit of determination.
	Barley, hay and/or straw	25 mg/kg	(dw)
	Beans with pods (Phaseolus spp.) immature pods and succulent seeds)	0.05 mg/kg	At or about the limit of determination.
	Blueberries	0.5 mg/kg	
	Cherries (subgroup)	0.3 mg/kg	
	Cotton gin trash	10 mg/kg	(dw)
	Cotton seed	0.3 mg/kg	
	Dry beans (subgroup)	0.04 mg/kg	(except soya beans) At or about the limit of determination
	Dry peas (subgroup)	0.15 mg/kg	
	Edible offal (mammalian)	0.04 mg/kg	At or about the limit of determination.
	Eggs	0.04 mg/kg	At or about the limit of determination.
	Garlic	0.05 mg/kg	At or about the limit of determination.
	Maize	0.01 mg/kg	

	Maize fodder (dry)	7 mg/kg	(dw)
	Mammalian fats (except milk fats)	0.04 mg/kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.04 mg/kg	At or about the limit of determination.
	Milks	0.04 mg/kg	At or about the limit of determination.
	Oat straw and fodder, dry	25 mg/kg	(dw)
	Onion, bulb	0.05 mg/kg	At or about the limit of determination.
	Peaches (including apricots and nectarine) (subgroup)	0.2 mg/kg	
	Peanut	0.04 mg/kg	At or about the limit of determination.
	Peanut oil, edible	0.06 mg/kg	
	Plums (including fresh prunes) (subgroup)	0.1 mg/kg	
	Poultry fats	0.04 mg/kg	At or about the limit of determination.
	Poultry meat	0.04 mg/kg	At or about the limit of determination.
	Poultry, edible offal of	0.04 mg/kg	At or about the limit of determination.
	Prunes	0.5 mg/kg	
	Rape seed	0.15 mg/kg	
	Rape seed oil, edible	0.5 mg/kg	
	Rye straw and fodder, dry	25 mg/kg	(dw)
	Soya bean (dry)	0.04 mg/kg	
	Soya bean hay	8 mg/kg	(dw)
	Sugar beet	0.07 mg/kg	
	Sugar cane	0.06 mg/kg	
	Sunflower seeds (subgroup)	1.5 mg/kg	
	Sweet corn (corn on the cob) (kernels plus cob with husk removed)	0.01 mg/kg	
	Tree nuts (group)	0.04 mg/kg	At or about the limit of determination.
	Triticale	0.15 mg/kg	
	Triticale, hay and/or straw	25 mg/kg	(dw)
	Tuberous and corm vegetables (subgroup)	0.04 mg/kg	At or about the limit of determination.
	Wheat	0.15 mg/kg	
	Wheat bran, unprocessed	0.3 mg/kg	
	Wheat, hay and/or straw	25 mg/kg	(dw)
SUBSTANCE	COMMODITY	MRL	REMARK
Methoprene	Peanut, whole	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Soya beans (dry)	3 mg/kg	The MRL accommodates post-harvest treatment of the commodity.
SUBSTANCE	COMMODITY	MRL	REMARK
Methoxyfenozide	Basil leaves, dried	400 mg/kg	
	Basil leaves	80mg/kg	
	Coffee beans	0.15 mg/kg	

	prunes	2 mg/Kg	
	Sugar cane	0.01 mg/kg	
	Sugar cane molasses	0.1 mg/kg	
	Tea, green, black (black, fermented and dried)	80 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Metrafenone	Cucumber	0.2 mg/Kg	
	Fruiting vegetables, cucurbits (group)	0.5 mg/kg	
	Gherkin	0.2 mg/Kg	
	Squash, summer	0.06 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Norflurazon	Alfalfa, hay and /or straw	7 mg/kg	(DM)
	Edible offal (mammalian)	0.3 mg/kg	
	Eggs	0.02 mg/kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.02 mg/kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.02 mg/kg	At or about the limit of determination.
	Milks	0.02 mg/kg	At or about the limit of determination.
	Poultry fats	0.02 mg/kg	At or about the limit of determination.
	Poultry meat	0.02 mg/kg	At or about the limit of determination.
	Poultry, edible offal of	0.02 mg/kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Oxamyl	Cucumber	0.02 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/kg	At or about the limit of determination.
	Potato	0.01 mg/Kg	At or about the limit of determination.
	Tomato	0.01 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
penconazole	Gherkin	0.06 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Pendimethalin	Bush berries (subgroup)	0.05 mg/kg	At or about the limit of determination.
	Cane berries (subgroup)	0.05 mg/kg	At or about the limit of determination.
	Flowerhead brassicas (subgroup)	0.01 mg/kg	At or about the limit of determination
	Fruiting vegetables, other than cucurbits (group)	0.05 mg/kg	At or about the limit of determination
	Grapes	0.05 mg/kg	At or about the limit of determination
	Leek	0.3 mg/kg	
	Maize	0.05 mg/kg	At or about the limit of determination
	Maize, hay and/or straw	0.05 mg/kg	At or about the limit of determination
	Mints	0.2 mg/kg	
	Parsley, leaves	1.5 mg/kg	
	Peppermint oil, edible	6 mg/kg	

	Poultry,edible offal of	0.01 mg/kg	At or about the limit of determination.
	Rice	0.01 mg/kg	At or about the limit of determination
	Rice, hay and/or straw	0.01 mg/kg	
	Soya bean (dry)	0.05 mg/kg	At or about the limit of determination
	Strawberry	0.05 mg/kg	At or about the limit of determination
	Sugar cane	0.01 mg/kg	
	Sunflower seed	0.05 mg/kg	At or about the limit of determination
	Wheat	0.01 mg/kg	At or about the limit of determination
	Wheat, hay and/or straw	0.3 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Penthiopyrad	Bush berries (subgroup)	7 mg/kg	
	Cane berries (subgroup)	10 mg/kg	
	Elderberries	7 mg/kg	
	Guelder rose	7 mg/kg	
	Millet fodder,dry	10 mg/Kg	(DM)
SUBSTANCE	COMMODITY	MRL	REMARK
Picoxystrobin	Alfalfa, hay and/or straw	10 mg/kg	(dw)
	Coffee beans	0.04 mg/kg	
	Cotton seed	2 mg/kg	
	Edible offal (mammalian)	0.02 mg/kg	
	Mammalian fats (except milk fats)	0.02 mg/kg	
	Meat (from mammals other than marine mammals)	0.02 mg/kg	(for meat) The MRL/EMRL applies to the fat of meat
	Milks	0.01 mg/kg	At or about the limit of determination.
	Sorghum grain	0.02 mg/kg	
	Sorghum straw and fodder, dry	1 mg/kg	(dw)
	Tea, green, black (black, fermented and dried)	15 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Profenofos	Teas(Tea and herb teas)	0.5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Propiconazole	Peaches (including apricots and nectarine) (subgroup)	4 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Pineapple	2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
SUBSTANCE	COMMODITY	MRL	REMARK
Prothioconazole	Edible offal (mammalian)	0.15 mg/Kg	
	Linseed	0.03 mg/kg	
	Mammalian fats (except milk fats)	0.01 mg/kg	
	Poultry,edible offal of	0.01 mg/kg	
	Rape seed	0.2 mg/Kg	
	Rape seed oil, edible	0.15 mg/kg	
	Sunflower seed oil, crude	0.5 mg/kg	

	Sunflower seeds (subgroup)	0.5 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Pydiflumetofen	Almond hulls	10 mg/kg	(dw)
	Barley, hay and/or straw	50 mg/kg	(dw)
	Barley, similar grains, and pseudocereals with husks (subgroup)	3 mg/kg	
	Beans with pods (subgroup)	0.7 mg/kg	
	Bulb onions (subgroup)	0.3 mg/kg	
	Bush berries (subgroup)	5 mg/kg	
	Cherries (subgroup)	2 mg/kg	
	Citrus fruits (group)	0.9 mg/kg	
	Citrus oil, edible	40 mg/kg	
	Citrus pulp, dried	1.5 mg/kg	
	Cotton seed	0.02 mg/kg	(based on rotational crops)
	Dry beans (subgroup)	0.4 mg/kg	
	Dry peas (subgroup)	0.4 mg/kg	
	Edible offal (mammalian)	0.1 mg/kg	
	Eggs	0.02 mg/kg	
	Elderberries	5 mg/kg	
	Flowerhead brassicas (subgroup)	3 mg/kg	
	Fruiting vegetables, cucurbits (group)	0.4 mg/kg	
	Fruiting vegetables, other than cucurbits (group)	0.5 mg/kg	(except martynia, okra and roselle)
	Green onions (subgroup)	1.5 mg/kg	
	Head brassicas (subgroup)	2 mg/kg	
	Leaves of Brassicaceae (subgroup)	0.1 mg/kg	
	Legume animal feeds	30 mg/kg	(dw)
	Low growing berries (subgroup)	1 mg/kg	(except cranberries)
	Maize cereals (subgroup)	0.04 mg/kg	
	Maize flour	0.07 mg/kg	
	Maize fodder (dry)	18 mg/kg	(dw)
	Maize oil, edible	0.08 mg/kg	
	Mammalian fats (except milk fats)	0.1 mg/kg	
	Martynia	0.02 mg/kg	
	Meat (from mammals other than marine mammals)	0.1 mg/kg	The MRL/EMRL applies to the fat of meat.
	Milks	0.01 mg/kg	At or about the limit of determination.
	Millet fodder, dry	0.3 mg/kg	(dw)
	Oat straw and fodder, dry	50 mg/kg	(dw)
	Okra	0.02 mg/kg	
	Peaches (including apricots and nectarine) (subgroup)	1 mg/kg	
	Peanut	0.05 mg/kg	
	Peanut oil, edible	0.15 mg/kg	
	Peas with pods (subgroup)	1.5 mg/kg	
	Peppers chili, dried	5 mg/kg	

	Plums (including fresh prunes) (subgroup)	0.6 mg/kg	
	Pome fruits (group)	0.2 mg/kg	(except Persimmon, Japanese)
	Potato, flakes/granules	0.5 mg/kg	(potato, dried)
	Poultry fats	0.01 mg/kg	At or about the limit of determination.
	Poultry meat	0.01 mg/kg	At or about the limit of determination.
	Poultry, edible offal of	0.01 mg/kg	At or about the limit of determination.
	Prunes	1.5 mg/kg	
	Rice cereals (subgroup)	0.03 mg/kg	
	Rice, hay and/or straw	0.3 mg/kg	(dw)
	Root vegetables (subgroup)	0.3 mg/kg	
	Roselle	0.02 mg/kg	
	Rye straw and fodder, dry	50 mg/kg	(dw)
	Small seed oilseeds (subgroup)	0.9 mg/kg	
	Sorghum grain	3 mg/kg	
	Sorghum grain and millet (subgroup)	0.03 mg/kg	(except sorghum grain)
	Sorghum, hay and/or straw	10 mg/kg	(dw)
	Stem Brassicas (subgroup)	0.1 mg/kg	(based on rotational crops)
	Stems and petioles (subgroup)	15 mg/kg	
	Succulent beans without pods (subgroup)	0.15 mg/kg	
	Succulent peas without pods (subgroup)	0.05 mg/kg	
	Sugar beet leaves or tops (dry)	40 mg/kg	(dw)
	Sunflower seeds (subgroup)	0.5 mg/kg	
	Sweet corns (subgroup)	0.03 mg/kg	
	Tomato, dried	7 mg/kg	
	Tree nuts (group)	0.05 mg/kg	
	Triticale, hay and/or straw	50 mg/kg	(dw)
	Tuberous and corm vegetables (subgroup)	0.1 mg/kg	
	Underground immature beans and peas (subgroup)	0.02 mg/kg	(based on rotational crops)
	Wheat bran, processed	1 mg/kg	
	Wheat germ	0.6 mg/kg	
	Wheat, hay and/or straw	50 mg/kg	(dw)
	Wheat, similar grains, and pseudocereals without husks (subgroup)	0.4 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Pyraclostrobin	Asparagus	0.01 mg/Kg	At or about the limit of determination.
	Carrot	0.5 mg/Kg	-
	Radish	0.5 mg/Kg	-
	Root vegetables (subgroup)	0.5 mg/kg	(except sugar beet)
	Spinach	0.6 mg/kg	
	Sugar beet	0.2 mg/Kg	-
SUBSTANCE	COMMODITY	MRL	REMARK
Pyrasulfotole	Barley	0.03 mg/kg	

	Barley, hay and/or straw	0.8 mg/kg	(dw)
	Edible offal (mammalian)	0.5 mg/kg	
	Eggs	0.02 mg/kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.02 mg/kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.02 mg/kg	At or about the limit of determination.
	Milks	0.01 mg/kg	At or about the limit of determination.
	Oat, hay and/or straw	0.8 mg/kg	(dw)
	Oats	0.15 mg/kg	
	Poultry fats	0.02 mg/kg	At or about the limit of determination.
	Poultry meat	0.02 mg/kg	At or about the limit of determination.
	Poultry, edible offal of	0.05 mg/kg	
	Rye	0.02 mg/kg	At or about the limit of determination.
	Rye, hay and/or straw	0.8 mg/kg	(dw)
	Sorghum grain	0.5 mg/kg	
	Triticale	0.02 mg/kg	At or about the limit of determination.
	Triticale, hay and/or straw	0.8 mg/kg	(dw)
	Wheat	0.02 mg/kg	At or about the limit of determination.
	Wheat bran, unprocessed	0.03 mg/kg	
	Wheat, hay and/or straw	0.8 mg/kg	(dw)
SUBSTANCE	COMMODITY	MRL	REMARK
Pyraziflumid	Apple	1.5 mg/kg	
	Grape, dried (= Currants, Raisins and Sultanas)	6 mg/kg	
	Grapes	3 mg/kg	
	Pear	1.5 mg/kg	
	Persimmon, Japanese	1.5 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Pyriofenone	Edible offal (mammalian)	0.01 mg/kg	At or about the limit of determination.
	Eggs	0.01 mg/kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.01 mg/kg	At or about the limit of determination.
	Milks	0.01 mg/kg	At or about the limit of determination.
	Poultry fats	0.01 mg/kg	At or about the limit of determination.
	Poultry meat	0.01 mg/kg	At or about the limit of determination.
	Poultry, edible offal of	0.01 mg/kg	At or about the limit of determination.
	Small fruit vine climbing (subgroup)	0.8 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Pyriproxyfen	Mango	0.02 mg/kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Quinoxifen	Cherries (subgroup)	0.5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Saflufenacil	Barley	1 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Spinetoram	Pitaya	0.5 mg/kg	

	Tea, green, black (black, fermented and dried)	70 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Spiromesifen	Beans with pods	0.5mg/kg	
	Beans without pods	0.15mg/kg	
	Fruiting vegetables, cucurbits (group)	0.09 mg/Kg	except melon and cucumber
	Mango	0.5mg/kg	
	Orange oil,edible	30 mg/Kg	
	Orange,sweet,sour (including Orange-like hybrids) (subgroup)	0.15 mg/Kg	
	Papaya	0.7mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Spiropidion	Cucumber	0.8 mg/kg	
	Edible offal (mammalian)	0.2 mg/kg	
	Eggs	0.01 mg/kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.02 mg/kg	
	Meat (from mammals other than marine mammals)	0.01 mg/kg	At or about the limit of determination.
	Melons, except watermelon	0.9 mg/kg	
	Milks	0.01 mg/kg	At or about the limit of determination.
	Peppers (subgroup)	1 mg/kg	(except martynia, okra, roselle)
	Peppers chili, dried	7 mg/kg	
	Potato	1.5 mg/kg	
	Potato,flakes/granules	5 mg/kg	
	Poultry fats	0.01 mg/kg	At or about the limit of determination.
	Poultry meat	0.01 mg/kg	At or about the limit of determination.
	Poultry, edible offal of	0.01 mg/kg	At or about the limit of determination.
	Pumpkins	0.9 mg/kg	
	Soya bean (dry)	3 mg/kg	
	Soya bean, meal	5 mg/kg	
	Soya flour	5 mg/kg	
	Tomato	0.8 mg/kg	
	Tomato, dried	7 mg/kg	
	Tomato, puree	1.5 mg/kg	
	Watermelon	0.9 mg/kg	
	Winter squash	0.9 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Spirotetramat	Carrot	0.04 mg/kg	
	Strawberry	0.3 mg/kg	
	Sugar beet	0.06 mg/kg	
	Sugar beet leaves or tops (dry)	8 mg/kg	(dw)
	Sugar beet molasses	0.3 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Sulfoxaflor	Asparagus	0.01 mg/kg	
	Avocado	0.15 mg/kg	

	Bush berries (subgroup)	2 mg/kg	
	Cane berries (subgroup)	1.5 mg/kg	
	Coffee beans	0.3 mg/kg	
	Elderberries	2 mg/kg	
	Mammalian fats (except milk fats)	0.2 mg/Kg	
	Mango	0.3 mg/kg	
	Meat (from mammals other than marine mammals)	0.4 mg/Kg	
	Milks	0.3 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Tebuconazole	Citrus pulp, dried	3 mg/kg	(dw)
	Mandarins (including mandarin-like hybrids) (subgroup)	0.7 mg/kg	The MRL accommodates post-harvest treatment of the commodity.
	Orange oil, edible	10 mg/kg	
	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.4 mg/kg	The MRL accommodates post-harvest treatment of the commodity.
SUBSTANCE	COMMODITY	MRL	REMARK
Thiabendazole	Beans with pods (subgroup)	0.01 mg/kg	At or about the limit of determination.
	Dry beans (subgroup)	0.01 mg/kg	At or about the limit of determination.
	Dry peas (subgroup)	0.01 mg/kg	At or about the limit of determination.
	Mango	7 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Peas with pods (subgroup)	0.01 mg/kg	At or about the limit of determination.
	Succulent beans without pods (subgroup)	0.01 mg/kg	At or about the limit of determination.
	Succulent peas without pods (subgroup)	0.01 mg/kg	At or about the limit of determination.
	Sweet potato	9 mg/kg	The MRL accommodates post-harvest treatment of the commodity.
SUBSTANCE	COMMODITY	MRL	REMARK
Thiamethoxam	Barley	0.5 mg/Kg	
	Barley bran, processed	1.5 mg/kg	
	Barley, hay and/or straw	8 mg/Kg	(dw)
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.01 mg/kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.07 mg/Kg	
	Milks	0.15 mg/Kg	
	Oat, hay and/or straw	8 mg/kg	(dw)
	Oats	0.5 mg/kg	
	Persimmon, Japanese	0.6 mg/kg	
	Poultry fats	0.01 mg/kg	
	Rice	50 mg/kg	
	Rice bran, unprocessed	30 mg/kg	
	Rice, hay and/or straw	3 mg/kg	(dw)
	Rice, hulls	300 mg/kg	
	Rice, husked	5 mg/kg	
	Rice, polished	3 mg/kg	
	Rye, hay and/or straw	8 mg/kg	(dw)

	Sorghum grain	0.6 mg/kg	
	Sorghum, hay and/or straw	0.8 mg/kg	(dw)
	Sorgo or sorghum, sweet	0.6 mg/kg	
	Sweet corn, stover	0.25 mg/kg	(dw)
	Triticale	0.15 mg/kg	
	Triticale, hay and/or straw	8 mg/kg	(dw)
	Wheat	0.15 mg/Kg	
	Wheat bran, processed	0.4 mg/kg	
	Wheat germ	0.3 mg/kg	
	Wheat, hay and/or straw	8 mg/Kg	(dw)
SUBSTANCE	COMMODITY	MRL	REMARK
Tioxazafen	Soya bean fodder	0.4 mg/kg	(DM)
	Soya bean, hay and/or straw	0.4 mg/kg	(DM)
SUBSTANCE	COMMODITY	MRL	REMARK
Tolclofos-methyl	Edible offal (mammalian)	0.01 mg/kg	At or about the limit of determination
	Eggs	0.01 mg/kg	At or about the limit of determination
	Leafy greens (subgroup)	0.7 mg/kg	(except spinach, purslane and chard)
	Mammalian fats (except milk fats)	0.01 mg/kg	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01 mg/kg	At or about the limit of determination
	Milks	0.01 mg/kg	At or about the limit of determination
	Potato	0.3 mg/Kg	
	Poultry fats	0.01 mg/kg	At or about the limit of determination
	Poultry meat	0.01 mg/kg	At or about the limit of determination
	Poultry, edible offal of	0.01 mg/kg	At or about the limit of determination
	Lettuce, head	2 mg/Kg	-
	Lettuce, leaf	2 mg/Kg	-
	Radish	0.1 mg/Kg	-
SUBSTANCE	COMMODITY	MRL	REMARK
Tolfenpyrad	Bulb onions (subgroup)	0.09 mg/kg	
	Citrus oil, edible	80 mg/kg	
	Citrus pulp, dried	6 mg/kg	
	Edible offal (mammalian)	0.4 mg/kg	
	Eggs	0.01 mg/kg	At or about the limit of determination
	Lemons and limes (including citron) (subgroup)	0.9 mg/kg	
	Mammalian fats (except milk fats)	0.01 mg/kg	At or about the limit of determination
	Mandarins (including mandarin-like hybrids) (subgroup)	0.9 mg/kg	
	Meat (from mammals other than marine mammals)	0.01 mg/kg	At or about the limit of determination
	Milks	0.01 mg/kg	At or about the limit of determination
	Oranges, sweet, sour (including Orange-like hybrids) (subgroup)	0.6 mg/kg	
	Peppers (subgroup)	0.5 mg/kg	(except martynia, okra and roselle)
	Peppers chili, dried	5 mg/kg	
	Poultry fats	0.01 mg/kg	At or about the limit of determination

	Poultry meat	0.01 mg/kg	At or about the limit of determination
	Poultry, edible offal of	0.01 mg/kg	At or about the limit of determination
SUBSTANCE	COMMODITY	MRL	REMARK
Triadimenol	Grape, dried (= Currants, Raisins and Sultanas)	1 mg/kg	based on triadimenol uses
SUBSTANCE	COMMODITY	MRL	REMARK
Trifloxystrobin	Beans with pods (subgroup)	0.5 mg/kg	
	Bilberry	3 mg/kg	
	Bilberry, red	3 mg/kg	
	Blueberries	3 mg/kg	
	Cane berries (subgroup)	3 mg/kg	
	Coffee beans	0.01 mg/kg	
	Corn salad	15 mg/kg	
	Currants, black, red, white	3 mg/kg	
	Edible offal (mammalian)	0.09 mg/kg	
	Gooseberry	3 mg/kg	
	Kidney of cattle, goats and sheep	0.04 mg/Kg	At or about the limit of determination.
	Lettuce, leaf	15 mg/kg	
	Linseed	0.4 mg/kg	
	Liver of cattle, goats & sheep	0.05 mg/Kg	
	Mammalian fats (except milk fats)	0.07 mg/kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Meat (from mammals other than marine mammals)	0.07 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Peas with pods (subgroup)	1.5 mg/kg	
	Poultry fats	0.04 mg/kg	At or about the limit of determination.
	Rose hips	3 mg/kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Trinexapac-ethyl	Barley bran, processed	4 mg/Kg	
	Rice	0.5 mg/kg	
	Rice bran, unprocessed	3 mg/kg	
	Rice, hay and/or straw	0.08 mg/kg	(dw)
	Rice, polished	0.7 mg/kg	
	Rye	3 mg/kg	
	Rye, hay and/or straw	0.9 mg/kg	(dw)
	Wheat bran, Unprocessed	5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Valifenalate	Edible offal (mammalian)	0.01 mg/kg	At or about the limit of determination.
	Eggplant	0.4 mg/kg	
	Eggs	0.01 mg/kg	At or about the limit of determination.
	Grapes	0.3 mg/kg	
	Mammalian fats (except milk fats)	0.01 mg/kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/kg	At or about the limit of determination.
	Milks	0.01 mg/kg	At or about the limit of determination.
	Onion, bulb	0.5 mg/kg	

Poultry fats	0.01 mg/kg	At or about the limit of determination.
Poultry meat	0.01 mg/kg	At or about the limit of determination.
Poultry, edible offal of	0.01 mg/kg	At or about the limit of determination.
Shallot	0.5 mg/kg	
Tomato	0.4 mg/kg	

طك الحظ: حظ:

- Joint FAO/WHO Food Standards Programme Codex maximum residue levels of pesticides in food and feed
- Joint FAO/WHO Food Standards Programme. Guidelines on portion of commodities to which Codex maximum residue limits apply and which is analyzed