

Revision of List of the import prohibited plants (Annexed Table 2 of the Ordinance for Enforcement of the Plant Protection Act)

Note: The list will be revised as follows. Underlined and strikethrough region/countries and plants are the main changes in the revision.

Item No	Region/countries	Plants	Quarantine pests
1	[Middle East] Yemen, Israel, Iraq, Iran, Saudi Arabia, Syria, Türkiye, Jordan, Lebanon, [Europe] Albania, Italy, Ukraine, British Channel Islands, Austria, Netherlands, North Macedonia, Cyprus, Greece, Croatia, Kosovo, Switzerland, Spain, Slovenia, Serbia, Germany, Hungary, France, Bulgaria, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Montenegro, Romania, Russia, [Africa] Africa (Algeria, Angola, Uganda, Egypt, Eswatini, Ethiopia, Eritrea, Ghana, Cabo Verde, Gabon, Cameroon, Gambia, Guinea, Guinea-Bissau, Kenya, Côte d'Ivoire, Comoros, Republic of Congo, Democratic Republic of the Congo, Sao Tome and Principe, Zambia, Sierra Leone, Djibouti, Zimbabwe, Sudan, Equatorial Guinea, Seychelles, Senegal, Somalia, Tanzania, Chad, Central African Republic, Tunisia, Togo, Nigeria, Namibia, Niger, Burkina Faso, Burundi, Benin, Botswana, Madagascar, Malawi, Mali, Republic of South Africa, South Sudan, Mauritius, Mauritania, Mozambique, Morocco, Libya, Liberia, Rwanda, Lesotho, including Canary Islands, Saint Helena, Ascension and Tristan da Cunha, Western Sahara, Mayotte, Reunion), [North America] Bermuda Islands,	Fresh fruits of the following plants: akee (<i>Blighia sapida</i>), <i>Acokanthera oppositifolia</i>, <i>Acokanthera schimperi</i> (syn. <i>Acokanthera ouabaio</i>), beehanger (<i>Azima tetracantha</i>), avocado (<i>Persea americana</i>) (excluding those listed in Appendix 60, 64, 70, 72, 89 and 90), Malay gooseberry (star berry) (<i>Phyllanthus acidus</i>), <i>Artabotrys monteiroae</i>, <i>Antidesma venosum</i>, <i>Wikstroemia phillyreifolia</i>, <i>Euclea divinorum</i>, dog plum (<i>Ekebergia capensis</i>), <i>Oxyanthus zanguebaricus</i>, <i>Opilia amentacea</i>, olive (<i>Olea europaea</i>), allspice (<i>Pimenta dioica</i> (syn. <i>Pimenta officinalis</i>)), <i>Olea woodiana</i>, cashew (<i>Anacardium occidentale</i>), <i>Cassine schweinfurthiana</i> (syn. <i>Elaeodendron schweinfurthianum</i>), kiwi fruit (<i>Actinidia chinensis</i> (including <i>Actinidia chinensis</i> var. <i>deliciosa</i> (syn. <i>Actinidia deliciosa</i>))), yellow oleander (<i>Thevetia peruviana</i> (syn. <i>Cascabela thevetia</i>, <i>Cerbera thevetia</i>, <i>Thevetia neriifolia</i>)), <i>Pithecellobium dulce</i>, <i>Cucumis dipsaceus</i>, beach naupaka (<i>Scaevola taccada</i> (syn. <i>Scaevola frutescens</i>, <i>Scaevola sericea</i>)), <i>Grewia trichocarpa</i>, <i>Coccinia microphylla</i>, <i>Corallocarpus ellipticus</i>, carambola (<i>Averrhoa carambola</i>), pomegranate (<i>Punica granatum</i>), <i>Salacia elegans</i>, jaboticaba (<i>Plinia cauliflora</i> (syn. <i>Eugenia cauliflora</i>, <i>Myrcia jaboticaba</i>)), goodenia (<i>Scaevola plumieri</i>), broad bean (<i>Vicia faba</i>), Alexandrian laurel (<i>Calophyllum inophyllum</i>), governor's plum (<i>Flacourtia indica</i> (syn. <i>Flacourtia ramontchi</i>)), date palm (<i>Phoenix dactylifera</i>), nance (<i>Byrsonima crassifolia</i>), Jamaica cherry (<i>Muntingia calabura</i>), bitter gourd (balsam pear) (<i>Momordica charantia</i>), <i>Guettarda speciosa</i>, kafir plum (<i>Harpephyllum caffrum</i>), <i>Filicium decipiens</i>, feijoa	<i>Ceratitis capitata</i> (Mediterranean fruit fly)

	[Latin America] Argentina, Uruguay, Ecuador, El Salvador, Guatemala, Costa Rica, Colombia, Nicaragua, West Indies (Antigua and Barbuda, Cuba, Grenada, Jamaica, Saint Christopher and Nevis, Saint Vincent and the Grenadines, Saint Lucia, Dominica, Dominican Republic, Trinidad and Tobago, Haiti, Bahamas, Barbados, including United States Virgin Islands, Aruba, Anguilla, British Virgin Islands, Curacao, Guadeloupe, Cayman Islands, Saint Barthelemy, Saint Martin, Turks and Caicos Islands, Puerto Rico, Bonaire, Sint Eustatius and Saba, Martinique, Montserrat) (excluding Cuba, and Dominican Republic in this item), Panama, Paraguay, Brazil, Venezuela, Belize, Peru, Bolivia, Honduras, [Oceania] Australia (excluding Tasmania), Hawaiian Islands	(<i>Feijoa sellowiana</i>), <i>Butia eriospatha</i>, jelly palm (<i>Butia capitata</i> (syn. <i>Cocos capitata</i>)), <i>Flagellaria guineensis</i>, <i>Flueggea virosa</i>, <i>Brucea ferruginea</i> (syn. <i>Brucea antidysenterica</i>), barberry (<i>Berberis holstii</i>), <i>Pentarrhopalopilium umbellulata</i>, <i>Bouyeria petiolaris</i>, pawpaw (<i>Asimina triloba</i>), <i>Polysphaeria parvifolia</i>, mamey apple (mammee apple) (<i>Mammea americana</i>), <i>Monodora grandidieri</i>, <i>Lamprothamnus zanguebaricus</i>, longan (<i>Euphoria longana</i> (syn. <i>Dimocarpus longan</i>)), <i>Ludia mauritiana</i>, lichi (<i>Litchi chinensis</i>), <i>Ficus</i>, <i>Inga</i>, <i>Phaseolus</i>, <i>Vangueria</i>, <i>Diospyros</i> (excluding those listed in Appendix 41), <i>Carissa</i>, walnut (<i>Juglans</i>), <i>Morus</i>, <i>Coccoloba</i>, <i>Coffea</i>, <i>Ribes</i>, <i>Vaccinium</i>, <i>Passiflora</i>, <i>Dovyalis</i>, <i>Drypetes</i>, <i>Ziziphus</i>, <i>Spondias</i>, <i>Musa</i> (excluding immature banana), <i>Carica</i> (excluding those listed in Appendix 1), <i>Psidium</i>, <i>Artocarpus</i>, <i>Annona</i>, <i>Malpighia</i>, <i>Santalum</i>, <i>Capparis</i>, <i>Garcinia</i>, <i>Vitis</i> (excluding those listed in Appendix 3, 54, 59 and 79), <i>Syzygium</i>, <i>Strychnos</i>, <i>Mangifera</i> (excluding those listed in Appendix 2, 36, 43, 51 and 53), <i>Ilex</i>, <i>Terminalia</i>, <i>Eugenia</i>, <i>Gossypium</i>, Sapotaceae, Cactaceae (excluding yellow pitahaya (<i>Hylocereus megalanthus</i> (syn. <i>Selenicereus megalanthus</i>)) and <i>Hylocereus polyrhizus</i>), Solanaceae (excluding those listed in Appendix 3 and 42), Rosaceae (excluding those listed in Appendix 3 and 31), Rutaceae (excluding those listed in Appendix 4 to 8, 39, 45, 56, 65, 73 and 78)	
2	[Asia] India, Indonesia, Cambodia, Singapore, Sri Lanka, Thailand, Chinese Taipei, China (excluding Hong Kong, China), Nepal, Pakistan, Bangladesh, Timor-Leste, Philippines, Bhutan, Brunei, Viet Nam, Hong Kong, China, Malaysia, Myanmar, Laos, [Middle East] Oman, [Europe] Azerbaijan, [Africa] Angola, Uganda, Eswatini, Ethiopia, Eritrea, Ghana, Cabo Verde, Gabon, Cameroon, Gambia, Guinea, Guinea-Bissau, Kenya, Côte d'Ivoire, Comoros, Republic of Congo, Democratic Republic of	Fresh fruits of the following plants: citrus (including <i>Murraya paniculata</i> (syn. <i>Murraya exotica</i>) and genera <i>Citrus</i>, <i>Fortunella</i> and <i>Poncirus</i> and hybrids of these genera) (excluding those listed in Appendix 4, 5, 10 and 58), <i>Bischofia javanica</i>, akee (<i>Blighia sapida</i>), <i>Azadirachta excelsa</i>, makamong (<i>Azizia xylocarpa</i>), avocado (<i>Persea americana</i>) (excluding those listed in Appendix 89 and 91), <i>Sauropus androgynus</i>, <i>Alangium chinense</i>, plu (<i>Alangium salviifolium</i>), <i>Artabotrys siamensis</i>, <i>Artabotrys monteiroae</i>, <i>Alpinia mutica</i>, <i>Arenga westerhoutii</i>, <i>lcacina senegalensis</i>, <i>Ixora javanica</i>, <i>Ixora macrothyrsa</i>, common fig (<i>Ficus carica</i>), <i>Ficus sycomorus</i>, <i>Ficus erecta</i>, <i>Irvingia gabonensis</i>, <i>Irvingia malayana</i>, Burmese grape (<i>Baccaurea sapida</i>),	<i>Bactrocera dorsalis</i> species complex (Oriental fruit fly)

	the Congo, Zambia, Sierra Leone, Zimbabwe, Sudan, Equatorial Guinea, Senegal, Tanzania, Chad, Central African Republic, Togo, Nigeria, Namibia, Niger, Burkina Faso, Burundi, Benin, Botswana, Mayotte, Madagascar, Malawi, Mali, Republic of South Africa, Mozambique, Mauritius, Mauritania, Liberia, Rwanda, Reunion, [Latin America] Guyana, Suriname, French Guiana, [Oceania] Christmas Island, Papua New Guinea, Hawaiian Islands, French Polynesia, Micronesia (Kiribati, Nauru, Palau, Marshall, Federated States of Micronesia, including Northern Mariana Islands, Guam)	cluster tree (<i>Ficus racemosa</i> (syn. <i>Ficus glomerata</i>)), <i>Uvaria chamae</i>, <i>Uvaria grandiflora</i>, tayaw (<i>Excoecaria agallocha</i>), <i>Elaeocarpus hygrophilus</i> (syn. <i>Elaeocarpus madopetalus</i>), palmyra palm (<i>Borassus flabellifer</i>), <i>Ficus pumila</i>, <i>Ficus septica</i>, <i>Rubus croceacanthus</i>, marble vine (<i>Diplocyclos palmatus</i> (syn. <i>Bryonopsis laciniosa</i>)), <i>Ochreinauclea maingayi</i>, <i>Opilia amentacea</i>, strawberry (<i>Fragaria x ananassa</i>), olive (<i>Olea europaea</i>), cacao (<i>Theobroma cacao</i>), cashew (<i>Anacardium occidentale</i>), Indian laurel (<i>Ficus microcarpa</i>), <i>Capparis sepiaria</i>, <i>Capparis tomentosa</i>, <i>Trichosanthes cucumeroides</i> (syn. <i>Trichosanthes ovigera</i>), <i>Chionanthus parkinsonii</i> (syn. <i>Linociera parkinsoni</i>), <i>Xanthophyllum amoenum</i>, <i>Xanthophyllum flavescens</i>, hog plum (<i>Ximenia americana</i>), yellow oleander (<i>Thevetia peruviana</i> (syn. <i>Cascabela thevetia</i>, <i>Cerbera thevetia</i>, <i>Thevetia neriifolia</i>)), cucumber (<i>Cucumis sativus</i>), Manila tamarind (<i>Pithecellobium dulce</i>), cushaw pumpkin (<i>Cucurbita argyrosperma</i> (syn. <i>Cucurbita mixta</i>)), <i>Gnetum gnemon</i>, <i>Gmelina elliptica</i>, <i>Gmelina philippensis</i>, orangeberry (<i>Glycosmis pentaphylla</i>), Icaco plum (<i>Chrysobalanus icaco</i>), formosa palm (<i>Arenga tremula</i> var. <i>engleri</i> (syn. <i>Arenga engleri</i>)), <i>Zehneria liukuensis</i>, <i>Kedrostis hirtella</i> (excluding those listed in Appendix 74), <u>ivy gourd</u> (<i>Coccinia grandis</i> (syn. <i>Coccinia indica</i>, <i>Cephalandra indica</i>)), <i>Arenga tremula</i>, <i>Cordia myxa</i>, <i>Cordyla pinnata</i>, carambola (<i>Averrhoa carambola</i>), <i>Citrullus colocynthis</i> (excluding those listed in Appendix 66), pomegranate (<i>Punica granatum</i>), sugar palm (<i>Arenga pinnata</i> (syn. <i>Arenga saccharifera</i>)), <i>Saba comorensis</i>, saba nut (<i>Saba senegalensis</i>), salak (<i>Salacca edulis</i>), <i>Toddalia asiatica</i>, santol (<i>Sandoricum koetjape</i> (syn. <i>Sandoricum nervosum</i>, <i>Sandoricum indicum</i>)), <i>Citrofortunella microcarpa</i> (syn. <i>Citrofortunella mitis</i>, <i>Citrus x microcarpa</i>, <i>Citrus mitis</i>), <i>Turpinia ternata</i>, <i>Neolitsea sericea</i>, watermelon (<i>Citrullus lanatus</i> (syn. <i>Citrullus vulgaris</i>)), <i>Sclerocarya birrea</i>, <i>Schoepfia fragrans</i>, <i>Cucurbita maxima</i> (excluding those listed in Appendix 67), <i>Celtis tetrandra</i>, Tahitian chestnut (<i>Inocarpus fagifer</i>), <i>Machilus thunbergii</i>, <i>Dillenia obovata</i>, <i>Desmos chinensis</i>, <i>Tetractomia majus</i>, Alexandrian laurel (<i>Calophyllum</i>	
--	--	---	--

		inophyllum), <i>Flacourtia indica</i> (syn. <i>Flacourtia ramontchi</i>), <i>Rhodomyrtus tomentosa</i>, white mulberry (<i>Morus alba</i>), ridge gourd (<i>Luffa acutangula</i>) (excluding those listed in Appendix 75), tomato (including <i>Lycopersicon esculentum</i> (syn. <i>Solanum lycopersicum</i>), <i>Solanum arcanum</i>, <i>Solanum cheesmaniae</i>, <i>Solanum chilense</i>, <i>Solanum galapagense</i>, <i>Solanum peruvianum</i>, <i>Solanum pimpinellifolium</i>), limeberry (<i>Triphasia trifolia</i>), <i>Nauclea orientalis</i> (syn. <i>Sarcocephalus cordatus</i>), bilimbi (<i>Averrhoa bilimbi</i>), date palm (<i>Phoenix dactylifera</i>), Jamaica cherry (<i>Muntingia calabura</i>), bitter gourd (balsam pear) (<i>Momordica charantia</i>), <i>Sarcocephalus latifolius</i> (syn. <i>Nauclea esculenta</i>, <i>Nauclea latifolia</i>), bitter bean (<i>Parkia speciosa</i>), <i>Haematostaphis barteri</i>, <i>Viburnum japonicum</i>, <i>Baccaurea racemosa</i>, <i>Baccaurea ramiflora</i>, papaya (<i>Carica papaya</i> (excluding those listed in Appendix 1, 11 and 12)), <i>Ficus virgata</i>, <i>Litsea japonica</i>, <i>Paramignya andamanica</i>, <i>Parinari anamensis</i>, calabash tree (<i>Crescentia cujete</i>), Néré (<i>Parkia biglobosa</i>), loquat (<i>Eriobotrya japonica</i>), betel palm (<i>Areca catechu</i>), <i>Fagraea ceilanica</i>, <i>Fagraea racemosa</i>, <i>Ficus eligodon</i>, <i>Ficus ottoniifolia</i>, <i>Ficus grossularioides</i>, <i>Ficus concatian</i>, <i>Ficus hispida</i>, <i>Ficus benjamina</i>, <i>Physalis minima</i>, feijoa (<i>Feijoa sellowiana</i> (syn. <i>Acca sellowiana</i>)), <i>Flacourtia rukam</i>, <i>Breynia racemosa</i> (syn. <i>Breynia reclinata</i>), <i>Breonia chinensis</i> (syn. <i>Cephalanthus chinensis</i>, <i>Anthocephalus chinensis</i>), tagat tagyi (<i>Heynea trijuga</i> (syn. <i>Walsura intermedia</i>)), sponge gourd (<i>Luffa cylindrica</i> (syn. <i>Luffa aegyptiaca</i>)) (excluding those listed in Appendix 76), summer squash (<i>Cucurbita pepo</i> (excluding those listed in Appendix 68)), bael fruit (<i>Aegle marmelos</i>), Fijian longan (<i>Pometia pinnata</i>), <i>Polyalthia longifolia</i>, <i>Holigarna kurzii</i>, <i>Ehretia dicksonii</i> (syn. <i>Ehretia dicksonii</i> var. <i>japonica</i>), quince (<i>Cydonia oblonga</i>), <i>Mammea siamensis</i>, <i>Myxopyrum smilacifolium</i>, <i>Microcos tomentosa</i> (syn. <i>Grewia paniculata</i>), <i>Lycianthes biflora</i>, melon (<i>Cucumis melo</i> (syn. <i>Bryonia collosa</i>)), Singapore almond (<i>Terminalia catappa</i>), <i>Momordica balsamina</i>, <i>Morinda citrifolia</i> (syn. <i>Morinda elliptica</i>), <i>Cinnamomum yabunikkei</i> (syn. <i>Cinnamomum japonicum</i>, <i>Cinnamomum tenuifolium</i>), red bayberry (<i>Myrica rubra</i>),	
--	--	--	--

		bottle gourd (<i>Lagenaria siceraria</i> (syn. <i>Lagenaria leucantha</i>) (excluding those listed in Appendix 69)), <i>Baccaurea motleyana</i>, rambutan (<i>Nephelium lappaceum</i>), longan (<i>Euphoria longana</i> (syn. <i>Dimocarpus longan</i>) (excluding those listed in Appendix 77)), apple (<i>Malus domestica</i> (syn. <i>Malus pumila</i>, <i>Pyrus malus</i>)), lichi (<i>Litchi chinensis</i> (excluding those listed in Appendix 13, 14 and 71)), <i>Lepisanthes tetraphylla</i>, <i>Lepisanthes rubiginosa</i>, wampee (<i>Clausena lansium</i> (syn. <i>Clausena wampi</i>)), <i>Bouea</i>, <i>Diospyros</i>, <i>Carissa</i>, <i>Elaeagnus</i>, <i>Coffea</i>, <i>Prunus</i>, <i>Capsicum</i>, <i>Passiflora</i>, <i>Pyrus</i>, <i>Solanum</i>, <i>Ziziphus</i> (excluding those listed in Appendix 63), <i>Spondias</i>, <i>Musa</i> (excluding immature banana), <i>Psidium</i>, <i>Artocarpus</i>, <i>Annona</i>, <i>Malpighia</i>, <i>Hylocereus</i> (excluding those listed in Appendix 52 and 55 and yellow pitahaya (<i>Hylocereus megalanthus</i> (syn. <i>Selenicereus megalanthus</i>))), <i>Garcinia</i> (excluding those listed in Appendix 40), <i>Vitis</i> (excluding those listed in Appendix 32 and 54), <i>Syzygium</i>, <i>Mangifera</i> (excluding those listed in Appendix 15 to 17, 36, 48, 50, 57 and 61), <i>Eugenia</i>, <i>Lansium</i>, <i>Licania</i>, <i>Rollinia</i>, Sapotaceae	
3	[Oceania] Australia (excluding Tasmania), New Caledonia, Papua New Guinea, French Polynesia	Fresh fruits of the following plants: citrus (including <i>Murraya paniculata</i> (syn. <i>Murraya exotica</i>) and genera <i>Citrus</i>, <i>Fortunella</i> and <i>Poncirus</i> and hybrids of these genera) (excluding those listed in Appendix 7), gandaria (<i>Bouea macrophylla</i> (syn. <i>Bouea gandaria</i>)), acerola (<i>Malpighia emarginata</i> (including <i>Malpighia glabra</i> (syn. <i>Malpighia punicifolia</i>))), avocado (<i>Persea americana</i>) (excluding those listed in Appendix 64), apricot (<i>Prunus armeniaca</i>), yellow pitahaya (<i>Hylocereus megalanthus</i> (syn. <i>Selenicereus megalanthus</i>)), common fig (<i>Ficus carica</i>), perfume tree (<i>Cananga odorata</i>), phalsa (<i>Grewia asiatica</i>), cluster tree (<i>Ficus racemosa</i> (syn. <i>Ficus glomerata</i>)), European strawberry (<i>Fragaria vesca</i>), Australian desert lime (<i>Eremocitrus glauca</i>), <i>Endiandra wolfei</i>, <i>Endiandra microneura</i>, <i>Endiandra longipedicellata</i>, <i>Garcinia dulcis</i>, lovi-lovi (<i>Flacourtia inermis</i>), <i>Diplocyclos palmatus</i> (syn. <i>Bryonopsis laciniosa</i>), <i>Ochrosia moorei</i>, Indian fig (spineless cactus) (<i>Opuntia ficus-indica</i>), strawberry (<i>Fragaria</i> x <i>ananassa</i>), olive (<i>Olea europaea</i>), <i>Casimiroa tetrameria</i>, cashew (<i>Anacardium occidentale</i>),	<i>Bactrocera tryoni</i> (Queensland fruit fly)

		<i>Castanospora alphanthii</i>, <i>Canarium vulgare</i>, <i>Carallia brachiata</i>, warren's mangosteen (<i>Garcinia warrenii</i>), kiwi fruit (<i>Actinidia chinensis</i> (including <i>Actinidia chinensis</i> var. <i>deliciosa</i> (syn. <i>Actinidia deliciosa</i>))), hog plum (<i>Ximenia americana</i>), <i>Capsicum frutescens</i>, yellow oleander (<i>Thevetia peruviana</i> (syn. <i>Cascabela thevetia</i>, <i>Cerbera thevetia</i>, <i>Thevetia neriifolia</i>)), <i>Glycosmis trifoliata</i>, tamarillo (<i>Cyphomandra betacea</i> (syn. <i>Pionandra betacea</i>, <i>Solanum insigne</i>)), carambola (<i>Averrhoa carambola</i>), cherry (including <i>Prunus avium</i>, <i>Prunus cerasus</i>, others), pomegranate (<i>Punica granatum</i>), Chinese salacia (<i>Salacia chinensis</i>), santol (<i>Sandoricum koetjape</i> (syn. <i>Sandoricum nervosum</i>, <i>Sandoricum indicum</i>)), cape gooseberry (<i>Physalis peruviana</i>), jaboticaba (<i>Plinia cauliflora</i> (syn. <i>Eugenia cauli</i>, <i>Myrcia jaboticaba</i>, <i>Myrciaria cauliflora</i>), white sapote (<i>Casimiroa edulis</i>), plum (including <i>Prunus domestica</i>, <i>Prunus salicina</i>), medlar (<i>Mespilus germanica</i>), Australian cashew nut (<i>Semecarpus australiensis</i>), davidson's plum (<i>Davidsonia pruriens</i>), strawberry guava (<i>Psidium cattleianum</i> (syn. <i>Psidium littorale</i>)), Alexandrian laurel (<i>Calophyllum inophyllum</i>), sweet pepper (chili pepper, Shishito pepper, bell pepper) (<i>Capsicum annuum</i>), tomato (including <i>Lycopersicon esculentum</i> (syn. <i>Solanum lycopersicum</i>), <i>Solanum arcanum</i>, <i>Solanum cheesmaniae</i>, <i>Solanum chilense</i>, <i>Solanum galapagense</i>, <i>Solanum peruvianum</i>, <i>Solanum pimpinellifolium</i>), <i>Nauclea orientalis</i> (syn. <i>Sarcocephalus cordatus</i>), bilimbi (<i>Averrhoa bilimbi</i>), date palm (<i>Phoenix dactylifera</i>), papaya (<i>Carica papaya</i>), <i>Artocarpus heterophyllus</i> (syn. <i>Artocarpus integrifolia</i>), fish poison tree (<i>Barringtonia asiatica</i>), <i>Barringtonia edulis</i>, <i>Barringtonia calyptrata</i>, guava (<i>Psidium guajava</i>), breadfruit (<i>Artocarpus altilis</i>), loquat (<i>Eriobotrya japonica</i>), <i>Fagraea gracilipes</i> (syn. <i>Fagraea cambagei</i>), <i>Phaleria clerodendron</i>, <i>Ficus pancheriana</i>, feijoa (<i>Feijoa sellowiana</i>), <i>Psidium acutangulum</i>, Guinea guava (<i>Psidium guineense</i> (syn. <i>Psidium araca</i>)), cocky apple (<i>Planchonia careya</i>), Burdekin plum (<i>Pleiogynium timoriense</i>), <i>Prunus simonii</i>, Amazon tree grape (<i>Pourouma cecropiifolia</i>), Fijian longan (<i>Pometia pinnata</i> (syn. <i>Allophylus cobbe</i>)), <i>Maclura pomifera</i>, quince	
--	--	--	--

		(<i>Cydonia oblonga</i>), <i>Prunus cerasifera</i> (syn. <i>Amygdalus persica</i>), zig-zag vine (<i>Melodorum leichhardtii</i> (syn. <i>Rauwenhoffia leichhardtii</i>)), peach (<i>Prunus persica</i>), <i>Morinda citrifolia</i> (syn. <i>Morinda elliptica</i>), rambutan (<i>Nephelium lappaceum</i>), longan (<i>Euphoria longana</i> (syn. <i>Dimocarpus longan</i>)), lichi (<i>Litchi chinensis</i>), wampee (<i>Clausena lansium</i> (syn. <i>Clausena wampi</i>)), <i>Acronychia</i> , <i>Diospyros</i> , <i>Rubus</i> , <i>Morus</i> , <i>Coffea</i> , <i>Vaccinium</i> , <i>Passiflora</i> , <i>Pyrus</i> , <i>Solanum</i> , <i>Ziziphus</i> , <i>Spondias</i> , <i>Musa</i> (excluding immature banana), <i>Annona</i> , <i>Vitis</i> (excluding those listed in Appendix 59)), <i>Syzygium</i> , <i>Mangifera</i> (excluding those listed in Appendix 2), <i>Terminalia</i> , <i>Eugenia</i> , <i>Malus</i> , <i>Rollinia</i> , Sapotaceae	
4	[Asia] India, Indonesia, Cambodia, Singapore, Sri Lanka, Thailand, Chinese Taipei, China (excluding Hong Kong, China), Nepal, Pakistan, Bangladesh, Timor-Leste, Philippines, Bhutan, Brunei, Viet Nam, Hong Kong, China, Malaysia, Myanmar, Laos, [Middle East] Afghanistan, <u>United Arab Emirates</u>, Iran, Oman, [Africa] Uganda, Ethiopia, <u>Ghana</u>, Cameroon, Gambia, Guinea, Kenya, Côte d'Ivoire, Republic of Congo, Democratic Republic of the Congo, Sierra Leone, Sudan, Seychelles, Senegal, Somalia, Tanzania, Togo, Nigeria, Niger, Burkina Faso, Burundi, Benin, Malawi, Mali, South Sudan, Mozambique, Mauritius, Reunion, [Oceania] Christmas Island, Solomon Islands, Papua New Guinea, Hawaiian Islands, Micronesia (Kiribati, Nauru, Palau, Marshall, Federated States of Micronesia, including Northern Mariana Islands, Guam)	Live plants and plant parts for planting (excluding seed and underground parts) and cut flowers, cut branches, and fruits and live flowers of plants for consumption and ornament of the following plants: Cucurbitaceae Fresh fruits of the following plants: <i>Adenia hondala</i>, African custard-apple (<i>Annona senegalensis</i>), <i>Ficus erecta</i>, black nightshade (<i>Solanum nigrum</i>), common bean (kidney bean) (<i>Phaseolus vulgaris</i>), <i>Ficus pumila</i>, Mexican husk tomato (<i>Physalis philadelphica</i> (syn. <i>Physalis ixocarpa</i>)), cashew (<i>Anacardium occidentale</i>), <i>Capsicum frutescens</i>, pigeon pea (<i>Cajanus cajan</i>), <i>Solanum capsicoides</i> (syn. <i>Solanum aculeatissimum</i>), passion fruit (<i>Passiflora edulis</i>), tamarillo (<i>Cyphomandra betacea</i> (syn. <i>Pionandra betacea</i>, <i>Solanum betaceum</i>, <i>Solanum insigne</i>)), carambola (<i>Averrhoa carambola</i>), cowpea (<i>Vigna unguiculata</i> (including <i>Vigna unguiculata</i> var. <i>sesquipedalis</i>)), sweet orange (<i>Citrus sinensis</i>), <i>Strychnos spinosa</i>, scarlet eggplant (<i>Solanum aethiopicum</i>), African eggplant (<i>Solanum anguivi</i>), <i>Solanum sessiliflorum</i>, <i>Solanum trilobatum</i>, <i>Solanum macrocarpon</i>, <i>Solanum linnaeanum</i>, <i>Solanum mauritianum</i>, <i>Solanum pseudocapsicum</i>, <i>Tetrastigma leucostaphylum</i> (syn. <i>Tetrastigma lanceolarium</i>), sweet pepper (chili pepper, Shishito pepper, bell pepper)	<i>Bactrocera cucurbitae</i> (Melon fly)

		(<i>Capsicum annuum</i>), tomato (including <i>Lycopersicon esculentum</i> (syn. <i>Solanum lycopersicum</i>), <i>Solanum arcanum</i>, <i>Solanum cheesmaniae</i>, <i>Solanum chilense</i>, <i>Solanum galapagense</i>, <i>Solanum peruvianum</i>, <i>Solanum pimpinellifolium</i>), eggplant (<i>Solanum melongena</i>), jujube (<i>Ziziphus jujuba</i> (syn. <i>Ziziphus vulgaris</i>, <i>Ziziphus sativa</i>)), papaya (<i>Carica papaya</i> (excluding those listed in Appendix 1, 11 and 12)), guava (<i>Psidium guajava</i>), hyacinth bean (<i>Lablab purpureus</i> (syn. <i>Dolichos lablab</i>)), Singapore almond (<i>Terminalia catappa</i>), <i>Solanum erianthum</i> (syn. <i>Solanum verbascifolium</i>), <i>Hylocereus</i> (excluding those listed in Appendix 52 and 55, and excluding yellow pitahaya (<i>Hylocereus megalanthus</i> (syn. <i>Selenicereus megalanthus</i>))), <i>Mangifera</i> (excluding those listed in Appendix 15 to 17, 36, 48, 50, 57 and 61), Cucurbitaceae (excluding those listed in Appendix 18)	
5	[Asia] India, China (excluding Hong Kong, China), Pakistan, [Middle East] Afghanistan, Israel, Iraq, Iran, Syria, Türkiye, Jordan, Lebanon, [Europe] Europe (Iceland, Ireland, Azerbaijan, Albania, Armenia, Andorra, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands, Kazakhstan, North Macedonia, Cyprus, Greece, Kyrgyz Republic, Croatia, Kosovo, San Marino, Georgia, Switzerland, Sweden, Spain, Slovakia, Slovenia, Serbia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Norway, Vatican, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Monaco, Moldova, Montenegro, Latvia, Lithuania, Liechtenstein, Luxembourg, Romania, Russia, including Azores, Åland Islands, Gibraltar, Svalbard, British Channel Islands, Faroe Islands, Isle of Man),	Fresh fruits of the following plants: apricot (<i>Prunus armeniaca</i>), cherry (including <i>Prunus avium</i>, <i>Prunus cerasus</i>, others) (excluding those listed in Appendix 19 to 21, 38 and 44), plum (including <i>Prunus domestica</i>, <i>Prunus salicina</i> (excluding those listed in Appendix 37)), quince (<i>Cydonia oblonga</i>), peach (<i>Prunus persica</i> (excluding those listed in Appendix 22 and 23)), <i>Pyrus</i>, <i>Malus</i> (excluding those listed in Appendix 24, 25, 31 and 34), Fresh fruits and nuts in shell of the following plants: walnut (<i>Juglans</i> (fruits and nuts in shell) (excluding those listed in Appendix 26))	<i>Cydia pomonella</i> (Codling moth)

	[Africa] Africa (Algeria, Angola, Uganda, Egypt, Eswatini, Ethiopia, Eritrea, Ghana, Cabo Verde, Gabon, Cameroon, Gambia, Guinea, Guinea-Bissau, Kenya, Côte d'Ivoire, Comoros, Republic of Congo, Democratic Republic of the Congo, Sao Tome and Principe, Zambia, Sierra Leone, Djibouti, Zimbabwe, Sudan, Equatorial Guinea, Seychelles, Senegal, Somalia, Tanzania, Chad, Central African Republic, Tunisia, Togo, Nigeria, Namibia, Niger, Burkina Faso, Burundi, Benin, Botswana, Madagascar, Malawi, Mali, Republic of South Africa, South Sudan, Mauritius, Mauritania, Mozambique, Morocco, Libya, Liberia, Rwanda, Lesotho, including Canary Islands, Saint Helena, Ascension and Tristan da Cunha, Western Sahara, Mayotte, Reunion), [North America] United States of America(excluding Hawaiian Islands), Canada, [Latin America] Argentina, Uruguay, Colombia, Chile, Brazil, Peru, Bolivia, Mexico, [Oceania] Australia, New Zealand		
6	[Asia] India, Indonesia, Cambodia, Singapore, Sri Lanka, Thailand, Chinese Taipei, Chagos Islands, China (excluding Hong Kong, China), Pakistan, Bangladesh, Timor-Leste, Philippines, Brunei, Viet Nam, Hong Kong, China, Malaysia, Myanmar, Maldives, Laos, [Africa] Africa (Algeria, Angola, Uganda, Egypt, Eswatini, Ethiopia, Eritrea, Ghana, Cabo Verde, Gabon, Cameroon, Gambia, Guinea, Guinea-Bissau, Kenya, Côte d'Ivoire, Comoros, Republic of Congo, Democratic Republic of the Congo, Sao Tome and Principe, Zambia, Sierra Leone, Djibouti, Zimbabwe,	Live vines, stems, leaves, tuberous roots and other underground portions of the following plants: <i>Stictocardia tiliifolia</i>, <i>Pharbitis</i>, <i>Ipomoea</i>, <i>Calystegia</i>	<i>Cylas formicarius</i> (Sweet potato weevil)

	Sudan, Equatorial Guinea, Seychelles, Senegal, Somalia, Tanzania, Chad, Central African Republic, Tunisia, Togo, Nigeria, Namibia, Niger, Burkina Faso, Burundi, Benin, Botswana, Madagascar, Malawi, Mali, Republic of South Africa, South Sudan, Mauritius, Mauritania, Mozambique, Morocco, Libya, Liberia, Rwanda, Lesotho, including Canary Islands, Saint Helena, Ascension and Tristan da Cunha, Western Sahara, Mayotte, Reunion), [North America] United States of America(excluding Hawaiian Islands), [Latin America] Guyana, Guatemala, Venezuela, Belize, Mexico, West Indies (Antigua and Barbuda, Cuba, Grenada, Jamaica, Saint Christopher and Nevis, Saint Vincent and the Grenadines, Saint Lucia, Dominica, Dominican Republic, Trinidad and Tobago, Haiti, Bahamas, Barbados, including United States Virgin Islands, Aruba, Anguilla, British Virgin Islands, Curacao, Guadeloupe, Cayman Islands, Saint Barthelemy, Saint Martin, Turks and Caicos Islands, Puerto Rico, Bonaire, Sint Eustatius and Saba, Martinique, Montserrat), [Oceania] Australia, Christmas Island, Cocos Islands, Papua New Guinea, Hawaiian Islands, Polynesia (Cook, Samoa, Tuvalu, Tonga, Niue, including American Samoa, Tokelau Islands, Pitcairn Island, French Polynesia, Wallis and Futuna Islands), Micronesia (Kiribati, Nauru, Palau, Marshall, Federated States of Micronesia, including Northern Mariana Islands, Guam), Melanesia (Solomon, Vanuatu, Fiji, including New Caledonia)		
7	[Asia] China (excluding Hong Kong, China),	Live vines, stems, leaves, tuberous roots and other underground	<i>Euscepes postfasciatus</i>

	[North America] United States of America(excluding Hawaiian Islands), [Latin America] Guyana, Suriname, West Indies (Antigua and Barbuda, Cuba, Grenada, Jamaica, Saint Christopher and Nevis, Saint Vincent and the Grenadines, Saint Lucia, Dominica, Dominican Republic, Trinidad and Tobago, Haiti, Bahamas, Barbados, including United States Virgin Islands, Aruba, Anguilla, British Virgin Islands, Curacao, Guadeloupe, Cayman Islands, Saint Barthelemy, Saint Martin, Turks and Caicos Islands, Puerto Rico, Bonaire, Sint Eustatius and Saba, Martinique, Montserrat), Paraguay, Brazil, French Guiana, Venezuela, Peru, [Oceania] Norfolk Island (Australia), Hawaiian Islands, Polynesia (Cook, Samoa, Tuvalu, Tonga, Niue, including American Samoa, Tokelau Islands, Pitcairn Island, French Polynesia, Wallis and Futuna Islands), Micronesia (Kiribati, Nauru, Palau, Marshall, Federated States of Micronesia, including Northern Mariana Islands, Guam), Melanesia (Solomon, Vanuatu, Fiji, including New Caledonia)	portions of the following plants: <i>Pharbitis, Ipomoea, Calystegia</i>	(West Indian sweet potato weevil)
8	[Asia] India, Nepal, Bhutan, [Middle East] Türkiye, [Europe] Europe (Iceland, Ireland, Azerbaijan, Armenia, Andorra, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands, Kazakhstan, North Macedonia, Kyrgyz Republic, Croatia, Kosovo, San Marino, Georgia, Switzerland, Sweden, Spain, Slovakia, Slovenia, Serbia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Norway, Vatican,	Live stems, leaves, tubers, and other underground portions of the following plants: Solanaceae	<i>Synchytrium endobioticum</i> (Potato wart)

	Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Monaco, Moldova, Montenegro, Lithuania, Liechtenstein, Luxembourg, Romania, Russia, including Azores, Åland Islands, Gibraltar, Svalbard, British Channel Islands, Faroe Islands, Isle of Man), [Africa] Algeria, Tunisia, Republic of South Africa, [North America] Canada, [Latin America] Uruguay, Ecuador, Falkland Islands, Peru, Bolivia, [Oceania] New Zealand		
9	[Asia] China (excluding Hong Kong, China), [Middle East] Iraq, Iran, Türkiye, [Europe] Azerbaijan, Armenia, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands, Kazakhstan, North Macedonia, Greece, Kyrgyz Republic, Croatia, Kosovo, Georgia, Switzerland, Spain, Slovakia, Slovenia, Serbia, Tajikistan, Czech, Denmark, Germany, Hungary, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Moldova, Montenegro, Lithuania, Luxembourg, Romania, Russia, [North America] United States of America (excluding Hawaiian Islands), Canada, [Latin America] Mexico	Live stems and leaves of the following plants: <i>Cirsium</i> , <i>Verbascum</i> , Solanaceae	<i>Leptinotarsa decemlineata</i> (Colorado potato beetle)
10	[Asia] India, Indonesia, Sri Lanka, Pakistan, Philippines, [Middle East] Israel, Iran, Türkiye, Lebanon, [Europe] Iceland, Ireland, Azerbaijan, Armenia, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands,	Live tubers and other underground portions of the following plants: <i>Chenopodium</i> , Solanaceae (excluding those listed in Appendix 46)	<i>Globodera rostochiensis</i> (Potato cyst nematode)

	Kazakhstan, Cyprus, Greece, Kyrgyz Republic, Croatia, Georgia, Switzerland, Sweden, Spain, Slovakia, Slovenia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Norway, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Moldova, Latvia, Lithuania, Luxembourg, Russia, [Africa] Algeria, Uganda, Egypt, Canary Islands, Kenya, Republic of South Africa, Rwanda, [North America] United States of America(excluding Hawaiian Islands), Canada, [Latin America] Argentina, El Salvador, Guatemala, Costa Rica, Chile, Nicaragua, Panama, Venezuela, Belize, Peru, Bolivia, Honduras, Mexico, [Oceania] Australia, New Zealand		
11	[Asia] India, Pakistan, [Middle East] Türkiye, [Europe] Iceland, Ireland, Azerbaijan, Armenia, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands, Kazakhstan, Cyprus, Greece, Kyrgyz Republic, Georgia, Switzerland, Sweden, Spain, Slovenia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Norway, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Moldova, Latvia, Lithuania, Russia, [Africa] Algeria, Canary Islands, Kenya, Morocco, [North America] United States of America(excluding Hawaiian Islands), Canada, [Latin America] Ecuador, Costa Rica, Colombia, Chile, Panama, Falkland Islands, Venezuela, Peru, Bolivia,	Live tubers and other underground portions of the following plants: Solanaceae (excluding those listed in Appendix 46)	<i>Globodera pallida</i> (White potato cyst nematode)

	[Oceania] New Zealand		
12	[Asia] Myanmar, [Middle East] United Arab Emirates, Yemen, Israel, Iraq, Iran, Syria, Türkiye, Jordan, Lebanon, [Europe] Europe (Iceland, Ireland, Azerbaijan, Albania, Armenia, Andorra, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Kazakhstan, North Macedonia, Greece, Kyrgyz Republic, Croatia, Kosovo, San Marino, Georgia, Switzerland, Sweden, Spain, Slovakia, Slovenia, Serbia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Norway, Vatican, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Monaco, Moldova, Montenegro, Latvia, Lithuania, Liechtenstein, Luxembourg, Romania, Russia, including Åland Islands, Gibraltar, Svalbard, British Channel Islands, Faroe Islands, Isle of Man), [Africa] Algeria, Egypt, Tunisia, Republic of South Africa, Morocco, Libya, [North America] United States of America (excluding Hawaiian Islands), Canada, [Latin America] Argentina, Uruguay, El Salvador, Cuba, Guatemala, Costa Rica, Jamaica, Dominican Republic, Nicaragua, Haiti, Puerto Rico, Brazil, Venezuela, Honduras, Mexico, [Oceania] Australia (excluding Tasmania)	Live stems, leaves and fresh fruits of the following plants: Solanaceae (excluding those listed in Appendix 27, 30, 42, 47 and 62)	<i>Peronospora tabacina</i> (Blue mold)
13	[North America] United States of America, [Oceania] Hawaiian Islands	Underground portions of live plants of the following plants: avocado (<i>Persea americana</i>), alfalfa (<i>Medicago sativa</i>), common bean (kidney bean) (<i>Phaseolus vulgaris</i>), <i>Indigofera hirsuta</i>, okra (<i>Abelmoschus esculentus</i> (syn. <i>Hibiscus esculentus</i>)), <i>Capsicum frutescens</i>, pepper (<i>Piper nigrum</i>), sweet potato (<i>Ipomoea batatas</i>)	<i>Radopholus citrophilus</i> (Citrus burrowing nematode)

		(including <i>Ipomoea batatas</i> var. <i>edulis</i>), sugarcane (<i>Saccharum officinarum</i>), watermelon (<i>Citrullus lanatus</i> (syn. <i>Citrullus vulgaris</i>)), radish (<i>Raphanus sativus</i>), soybean (<i>Glycine max</i>), loblolly pine (<i>Pinus taeda</i>), sweet pepper (chili pepper, Shishito pepper, bell pepper) (<i>Capsicum annuum</i>), corn (<i>Zea mays</i>), tomato (including <i>Lycopersicon esculentum</i> (syn. <i>Solanum lycopersicum</i>), <i>Solanum arcanum</i> , <i>Solanum cheesmaniae</i> , <i>Solanum chilense</i> , <i>Solanum galapagense</i> , <i>Solanum peruvianum</i> , <i>Solanum pimpinellifolium</i>), bitter gourd (balsam pear) (<i>Momordica charantia</i>), pineapple (<i>Ananas comosus</i>), slash pine (<i>Pinus elliotii</i>), summer squash (<i>Cucurbita pepo</i>), melon (<i>Cucumis melo</i> (syn. <i>Bryonia collosa</i>)), groundnut (excluding seeds without pod) (<i>Arachis hypogaea</i>), leek (<i>Allium ampeloprasum</i>), lichi (<i>Litchi chinensis</i>), <i>Anthurium</i> (excluding those listed in Appendix 49), <i>Musa</i> , <i>Beta</i> , Rutaceae	
14	[Middle East] Israel, Iraq, Syria, Türkiye, Lebanon, [Europe] Europe (Iceland, Ireland, Azerbaijan, Albania, Armenia, Andorra, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands, Kazakhstan, North Macedonia, Cyprus, Greece, Kyrgyz Republic, Croatia, Kosovo, San Marino, Georgia, Switzerland, Sweden, Spain, Slovakia, Slovenia, Serbia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Norway, Vatican, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Monaco, Moldova, Montenegro, Latvia, Lithuania, Liechtenstein, Luxembourg, Romania, Russia, including Åland Islands, Gibraltar, Svalbard, British Channel Islands, Faroe Islands, Isle of Man), [Africa] Algeria, Tunisia, Morocco, [North America] United States of America (excluding Hawaiian Islands), Canada, [Oceania] New Zealand	Stems and leaves of the following plants: <i>Hordeum</i> (including straw packing materials and straw goods similar thereof referred to as "straw" in Appendix 28 and 33), <i>Triticum</i> (including straw packing materials and straw goods similar thereof referred to as "straw" in Appendix 28 and 33), <i>Triticosecale</i> (including straw packing materials and straw goods similar thereof referred to as "straw" in Appendix 28 and 33), <i>Secale</i> (including straw packing materials and straw goods similar thereof referred to as "straw" in Appendix 28 and 33) Stems and leaves of the following plants: Agropyron (excluding those listed in Appendix 28 and 33).	<i>Mayetiola destructor</i> (Hessian fly)

15	All region/ countries excluding North Korea, Republic of Korea and Chinese Taipei	Rice plants, rice straw (including rice straw bags, mats, and other rice straw goods similar thereof (excluding those listed in Appendix 29)), unhulled rice and rice hull.	<i>Ditylenchus angustus</i> (Rice stem nematode), <i>Balansia oryzae-sativae</i> , <i>Xanthomonas oryzae</i> pv. <i>oryzicola</i> and other quarantine pests not existing in Japan.
16	[Asia] Republic of Korea, China (excluding Hong Kong, China), Pakistan, [Middle East] Israel, <u>Iraq</u>, Iran, <u>Saudi Arabia</u>, Syria, Türkiye, Jordan, Lebanon, [Europe] Ireland, Azerbaijan, Albania, Armenia, Italy, Ukraine, United Kingdom (Great Britain and Northern Ireland), <u>British Channel Islands</u>, Austria, Netherlands, Kazakhstan, North Macedonia, Cyprus, Greece, Kyrgyz Republic, Croatia, Kosovo, Georgia, Switzerland, Sweden, Spain, Slovakia, Slovenia, Serbia, Czech, Denmark, Germany, Norway, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Moldova, Montenegro, Latvia, Lithuania, Liechtenstein, Romania, Luxembourg, Russia, [Africa] Algeria, Egypt, Tunisia, Morocco, [North America] United States of America (excluding Hawaiian Islands), Canada, Bermuda Islands, [Latin America] Guatemala, Mexico, [Oceania] New Zealand	Live plants and plant parts (including fruit, flower and pollen, other than seed) of the following plants: <i>Chaenomeles sinensis</i> (syn. <i>Pseudocydonia sinensis</i>), bridal wreath (<i>Spiraea prunifolia</i>), medlar (<i>Mespilus germanica</i>), loquat (<i>Eriobotrya japonica</i>), quince (<i>Cydonia oblonga</i>), dog rose (<i>Rosa canina</i>), <i>Aronia</i>, <i>Photinia</i>, <i>Crataegomespilus</i>, <i>Amelanchier</i>, <i>Crataegus</i>, <i>Cotoneaster</i>, <i>Rhaphiolepis</i>, <i>Stranvaesia</i>, <i>Osteomeles</i>, <i>Dichotomanthes</i>, <i>Pyracantha</i>, <i>Docynia</i>, <i>Pyrus</i>, <i>Sorbus</i>, <i>Heteromeles</i>, <i>Peraphyllum</i>, <i>Chaenomeles</i> (syn. <i>Choenomeles</i>), <i>Malus</i> (excluding those listed in Appendix 24, 25 and 31)	<i>Erwinia amylovora</i> (Fire blight)
17	[Asia] India, Indonesia, Cambodia, Sri Lanka, Thailand, Chinese Taipei, China (excluding Hong Kong, China), Nepal, Pakistan, Bangladesh, Timor-Leste, Philippines, Bhutan, Viet Nam, Malaysia, Myanmar, Laos, [Middle East] Yemen, Iran, Oman, Saudi Arabia, [Africa] Africa (Algeria, Angola, Uganda, Egypt,	Live plants and plant parts (excluding seed and fruit) of the following plants: <i>Aeglopsis chevalieri</i>, <i>Atalantia missionis</i>, <i>Calodendrum capensis</i>, limeberry (<i>Triphasia trifolia</i>), <i>Clausena indica</i>, x <i>Citroncirus webberi</i>, tabog (<i>Swinglea glutinosa</i>), wood apple (<i>Feronia limonia</i>), <i>Severinia buxifolia</i>, <i>Balsamocitrus dawei</i>, <i>Microcitrus australasica</i>, <i>Microcitrus australis</i>, wampee (<i>Clausena lansium</i> (syn. <i>Clausena wampi</i>)), <i>Toddalia</i>	<i>Candidatus</i> Liberibacter africanus, <i>Candidatus</i> Liberibacter americanus, <i>Candidatus</i> Liberibacter asiaticus

	Eswatini, Ethiopia, Eritrea, Ghana, Cabo Verde, Gabon, Cameroon, Gambia, Guinea, Guinea-Bissau, Kenya, Côte d'Ivoire, Comoros, Republic of Congo, Democratic Republic of the Congo, Sao Tome and Principe, Zambia, Sierra Leone, Djibouti, Zimbabwe, Sudan, Equatorial Guinea, Seychelles, Senegal, Somalia, Tanzania, Chad, Central African Republic, Tunisia, Togo, Nigeria, Namibia, Niger, Burkina Faso, Burundi, Benin, Botswana, Madagascar, Malawi, Mali, Republic of South Africa, South Sudan, Mauritius, Mauritania, Mozambique, Morocco, Libya, Liberia, Rwanda, Lesotho, including Canary Islands, Saint Helena, Ascension and Tristan da Cunha, Western Sahara, Mayotte, Reunion), [North America] United States of America (excluding Hawaiian Islands), [Latin America] United States Virgin Islands, Argentina, El Salvador, Cuba, Guatemala, Guadeloupe, Costa Rica, Colombia, Jamaica, Dominica, Dominican Republic, Trinidad and Tobago, Nicaragua, Panama, Paraguay, Barbados, Puerto Rico, Venezuela, Belize, Honduras, Martinique, Mexico, Brazil, [Oceania] Papua New Guinea		
18	[Latin America] Argentina, Uruguay, Ecuador, El Salvador, Guyana, Guatemala, Costa Rica, Colombia, Suriname, Trinidad and Tobago, Nicaragua, Panama, Paraguay, Brazil, French Guiana, Venezuela, Belize, Peru, Bolivia, Honduras, Mexico	Fresh fruits of the following plants: <i>Pouteria obovata</i>, abiu (<i>Pouteria caimito</i>), apricot (<i>Prunus armeniaca</i>), yellow pitahaya (<i>Hylocereus megalanthus</i> (syn. <i>Selenicereus megalanthus</i>)) (excluding those listed in Appendix 85 in this table), common fig (<i>Ficus carica</i>), <i>Campomanesia xanthocarpa</i>, kiwi fruit (<i>Actinidia chinensis</i> (including <i>Actinidia chinensis</i> var. <i>deliciosa</i> (syn. <i>Actinidia deliciosa</i>))), passion fruit (<i>Passiflora edulis</i>), <i>Chrysophyllum gonocarpum</i>, tamarillo (<i>Cyphomandra betacea</i> (syn. <i>Pionandra betacea</i>),	<i>Anastrepha fraterculus</i> (South American fruit fly)

		<i>Solanum insigne</i>)), carambola (<i>Averrhoa carambola</i>), cherry (including <i>Prunus avium</i>, <i>Prunus cerasus</i>, others), pomegranate (<i>Punica granatum</i>), sapodilla (<i>Manilkara zapota</i> (syn. <i>Achras zapota</i>)), <i>Ziziphus joazeiro</i>, <i>Zuelania guidonia</i>, plum (including <i>Prunus domestica</i>, <i>Prunus salicina</i>), European pear (<i>Pyrus communis</i>), papaya (<i>Carica papaya</i>) (excluding those listed in Appendix 84 in this table), loquat (<i>Eriobotrya japonica</i>), feijoa (<i>Feijoa sellowiana</i>), round kumquat (<i>Fortunella japonica</i>), mango (<i>Mangifera indica</i>) (excluding those listed in Appendix 43, 51, 53 and 87 in this table), peach (<i>Prunus persica</i>), Singapore almond (<i>Terminalia catappa</i>), <i>Diospyros</i>, <i>Rubus</i> (excluding those listed in Appendix 82 in this table), <i>Coffea</i>, <i>Vaccinium</i> (excluding those listed in Appendix 83 in this table), <i>Spondias</i>, <i>Psidium</i>, <i>Annona</i>, <i>Vitis</i> (excluding those listed in Appendix 79 and 80 in this table), <i>Syzygium</i>, <i>Citrus</i> (excluding those listed in Appendix 39, 65 and 81 in this table and excluding Mexican lime (<i>Citrus aurantiifolia</i>) and lemon (<i>Citrus limon</i>)), <i>Eugenia</i>, <i>Malus</i>	
19	[Latin America] Argentina, Ecuador, Colombia, Panama, Paraguay, Brazil, Venezuela, Peru, Bolivia	Fresh fruits of the following plants: <u>casabanana (<i>Sicana odorifera</i>)</u>, watermelon (<i>Citrullus lanatus</i> (syn. <i>Citrullus vulgaris</i>)), <u><i>Fevillea cordifolia</i></u>, bottle gourd (<i>Lagenaria siceraria</i> (syn. <i>Lagenaria leucantha</i>)), <i>Cucurbita</i>, <i>Cucumis</i>	<i>Anastrepha grandis</i> (South American cucurbit fruit fly)
20	[Latin America] El Salvador, Guatemala, Costa Rica, Nicaragua, Panama, Belize, Honduras, Mexico	Fresh fruits of the following plants: cashew (<i>Anacardium occidentale</i>), passion fruit (<i>Passiflora edulis</i>), pomegranate (<i>Punica granatum</i>), European pear (<i>Pyrus communis</i>), feijoa (<i>Feijoa sellowiana</i>), rose apple (<i>Syzygium jambos</i> (syn. <i>Eugenia jambos</i>)), mammey sapote (<i>Pouteria sapota</i>), mamey apple (mammee apple) (<i>Mammea americana</i>), quince (<i>Cydonia oblonga</i>), mango (<i>Mangifera indica</i>) (excluding those listed in Appendix 87 in this table), peach (<i>Prunus persica</i>), <i>Spondias purpurea</i>, <u>apple (<i>Malus domestica</i> (syn. <i>Malus pumila</i>, <i>Pyrus malus</i>))</u>, <u>rocotomanzano—peppers (<i>Capsicum pubescens</i>)</u>, <i>Diospyros</i>, <i>Casimiroa</i>, <i>Coffea</i>, <i>Psidium</i>, <i>Annona</i>, <i>Citrus</i> (excluding those listed in Appendix 86 in this table and excluding lime (<i>Citrus latifolia</i>, <i>Citrus aurantiifolia</i>) and lemon (<i>Citrus limon</i>))	<i>Anastrepha ludens</i> (Mexican fruit fly)

21	[Latin America] Ecuador, El Salvador, Guyana, Guatemala, Costa Rica, Colombia, Suriname, Nicaragua, West Indies (Antigua and Barbuda, Cuba, Grenada, Jamaica, Saint Christopher and Nevis, Saint Vincent and the Grenadines, Saint Lucia, Dominica, Dominican Republic, Trinidad and Tobago, Haiti, Bahamas, Barbados, including United States Virgin Islands, Aruba, Anguilla, British Virgin Islands, Curacao, Guadeloupe, Cayman Islands, Saint Barthelemy, Saint Martin, Turks and Caicos Islands, Puerto Rico, Bonaire, Sint Eustatius and Saba, Martinique, Montserrat), Panama, Paraguay, Brazil, Venezuela, Belize, Peru, Honduras, Mexico	Fresh fruits of the following plants: acerola (<i>Malpighia emarginata</i> (including <i>Malpighia glabra</i> (syn. <i>Malpighia puniceifolia</i>))), almond (<i>Prunus dulcis</i> (syn. <i>Prunus amygdalus</i>, <i>Prunus communis</i>)), carambola (<i>Averrhoa carambola</i>), sapodilla (<i>Manilkara zapota</i> (syn. <i>Achras zapota</i>)), jaboticaba (<i>Plinia cauliflora</i> (syn. <i>Eugenia cauliflora</i>, <i>Myrcia jaboticaba</i>)), plum (including <i>Prunus domestica</i>, <i>Prunus salicina</i>), European pear (<i>Pyrus communis</i>), loquat (<i>Eriobotrya japonica</i>), Maya nut (<i>Brosimum alicastrum</i>), mango (<i>Mangifera indica</i>) (excluding those listed in Appendix 43, 51, 53 and 87 in this table), <i>Pouteria</i>, <i>Diospyros</i>, <i>Spondias</i>, <i>Psidium</i>, <i>Syzygium</i>, <i>Eugenia</i>	<i>Anastrepha obliqua</i> (West Indian fruit fly)
22	[North America] United States of America (Florida state only), [Latin America] West Indies (Antigua and Barbuda, Cuba, Grenada, Jamaica, Saint Christopher and Nevis, Saint Vincent and the Grenadines, Saint Lucia, Dominica, Dominican Republic, Trinidad and Tobago, Haiti, Bahamas, Barbados, including United States Virgin Islands, Aruba, Anguilla, British Virgin Islands, Curacao, Guadeloupe, Cayman Islands, Saint Barthelemy, Saint Martin, Turks and Caicos Islands, Puerto Rico, Bonaire, Sint Eustatius and Saba, Martinique, Montserrat), French Guiana	Fresh fruits of the following plants (excluding those listed in Appendix 88) : akee (<i>Blighia sapida</i>), acerola (<i>Malpighia emarginata</i> (including <i>Malpighia glabra</i> (syn. <i>Malpighia puniceifolia</i>))), icaco plum (<i>Chrysobalanus icaco</i>), carambola (<i>Averrhoa carambola</i>), sapodilla (<i>Manilkara zapota</i> (syn. <i>Achras zapota</i>)), jaboticaba (<i>Plinia cauliflora</i> (syn. <i>Eugenia cauliflora</i>, <i>Myrcia jaboticaba</i>)), caimito (<i>Chrysophyllum cainito</i>), plum (including <i>Prunus domestica</i>, <i>Prunus salicina</i>), kumquat (oval) (<i>Fortunella margarita</i>), loquat (<i>Eriobotrya japonica</i>), mango (<i>Mangifera indica</i>), peach (<i>Prunus persica</i>), Singapore almond (<i>Terminalia catappa</i>), apple (<i>Malus domestica</i> (syn. <i>Malus pumila</i>, <i>Pyrus malus</i>)), <i>Diospyros</i>, <i>Pyrus</i>, <i>Spondias</i>, <i>Psidium</i>, <i>Annona</i>, <i>Syzygium</i>, <i>Citrus</i> (excluding lime (<i>Citrus latifolia</i>, <i>Citrus aurantiifolia</i>) and lemon (<i>Citrus limon</i>)), <i>Eugenia</i>	<i>Anastrepha suspensa</i> (Caribbean fruit fly)
23	[Latin America] Ecuador, El Salvador, Netherlands Antilles (Aruba, Curacao, Saint Martin, Bonaire, Sint Eustatius and Saba), Guyana, Guatemala, Costa Rica, Colombia, Suriname, Trinidad and Tobago, Nicaragua, Panama, Paraguay, Brazil, French	Fresh fruits of the following plants: acerola (<i>Malpighia emarginata</i> (including <i>Malpighia glabra</i> (syn. <i>Malpighia puniceifolia</i>))), abiu (<i>Pouteria caimito</i>), arabica coffee (<i>Coffea arabica</i>), <i>Inga edulis</i> (syn. <i>Inga vera</i>), <i>Inga velutina</i>, cashew (<i>Anacardium occidentale</i>), <i>Caryocar glabrum</i>, <i>Calycolpus moritzianus</i> (syn. <i>Psidium</i>	<i>Anastrepha striata</i>

Guiana, Venezuela, Belize, Peru, Bolivia, Honduras, Mexico	<i>caudatum</i>), <i>Campomanesia cornifolia</i> (syn. <i>Campomanesia lineatifolia</i>), passion fruit (<i>Passiflora edulis</i>), <i>Couma utilis</i>, yellow mombin (<i>Spondias mombin</i>), Costa Rican guava (<i>Psidium friedrichsthalianum</i>), carambola (<i>Averrhoa carambola</i>), caimito (star apple) (<i>Chrysophyllum cainito</i>), sweet orange (<i>Citrus sinensis</i>) (excluding those listed in Appendix 86), <i>Spondias dulcis</i>, pitanga (<i>Eugenia uniflora</i> (syn. <i>Syzygium michelii</i>)), <i>Diospyros digyna</i>, strawberry guava (<i>Psidium cattleianum</i>), <i>Byrsonima crassifolia</i>, bacaba palm (<i>Oenocarpus bacaba</i>), papaya (<i>Carica papaya</i>), <i>Parahancornia amapa</i>, jack fruit (<i>Artocarpus heterophyllus</i>), guava (<i>Psidium guajava</i>), <i>Psidium acutangulum</i>, Guinea guava (<i>Psidium guineense</i> (syn. <i>Psidium araca</i>)), <i>Psidium kennedyanum</i>, <i>Psidium sartorianum</i>, <i>Psidium laruotteanum</i> (syn. <i>Psidium savannarum</i>), <i>Bellucia grossularioides</i>, <i>Bellucia dichotoma</i> (syn. <i>Bellucia imperialis</i>), <i>Bellucia pentamera</i> (syn. <i>Bellucia axinantha</i>), <i>Pouteria torta</i>, Malay apple (<i>Eugenia malaccensis</i> (syn. <i>Syzygium malaccense</i>)), mango (<i>Mangifera indica</i>) (excluding those listed in Appendix 43, 51, 53 and 87), <i>Spondias purpurea</i>, <i>Eugenia stipitata</i>, <i>Eugenia ligustrina</i>, <i>Eugenia luschnathiana</i>, <i>Eugenia javanica</i> (syn. <i>Syzygium samarangense</i>), <i>Rollinia mucosa</i> (syn. <i>Annona mucosa</i>)	
--	---	--

Appendix

1. Solo type of papaya shipped from Hawaiian Islands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
2. Mango shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
3. Strawberry, pepper (capsicum), tomato, eggplant and grape shipped from Netherlands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
4. Valencia variety, Washington Navel variety, Tomango variety and Protea variety of sweet orange, lemon, grapefruit and clementine shipped from South Africa directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
5. Valencia variety, Washington Navel variety, Tomango variety and Protea variety of sweet orange, grapefruit and clementine shipped through South Africa from Eswatini without going by way of other countries to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
6. Shamouti variety and Valencia variety of sweet orange, grapefruit, sweetie, pomelo, lemon and Or mandarin shipped from Israel directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
7. *Citrus* spp. shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
8. Navel variety, Valencia variety and Salustiana variety of sweet orange, lemon and clementine shipped from Spain directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries

9. Deleted

10. Ponkan orange, Tankan orange and Liutin variety of sweet orange and pomelo shipped from Chinese Taipei directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
11. Solo type and Tailung No.2 type of papaya shipped from Chinese Taipei directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
12. Solo type of papaya shipped from Philippines directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
13. Litchi shipped from Chinese Taipei directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
14. Litchi shipped from China directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
15. Manila Super variety of mango shipped from Philippines directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
16. Irwin variety, Keitt variety and Haden variety of mango shipped from Chinese Taipei directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
17. Keow Savoy variety, Chok Anan variety, Nan Klamgwun variety, Nam Dorkmai variety, Pimsen Daeng variety, Mahachanok variety and Rad variety of mango shipped from Thailand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
18. Squash and Melon shipped from China directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
19. Cherry shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
20. Cherry shipped from Canada directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
21. Cherry shipped from New Zealand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
22. Nectarine shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
23. Firebrite variety, Fantasia variety and Red Gold variety of nectarine shipped from New Zealand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
24. Apple shipped from New Zealand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
25. Apple shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
26. Inshell walnut shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
27. Tomato shipped from Canada directly to Japan
28. Straw of wheat and barley group and culms and leaves of plants of the genus Agropyron mixed in hay shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
29. Rice straw shipped from China directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
30. Tomato shipped from United States of America directly to Japan
31. Golden Delicious variety of apple shipped from France directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
32. Kyoho variety and Italy variety of grape shipped from Chinese Taipei directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
33. Straw of wheat and barley group and culms and leaves of plants of the genus Agropyron shipped from Canada directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries

34. Apple shipped from Tasmania directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
35. Deleted
36. Keitt variety and Haden variety of mango shipped from Hawaiian Islands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
37. European plum and Japanese plum shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
38. Cherry shipped from Chile directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
39. Grapefruit, sweet orange (Valencia variety, Salustiana variety, Lanelate variety and Washington Navel variety), lemon, ellendale, clementine, nova mandarin and murcott shipped from Argentina directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
40. Mangosteen shipped from Thailand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
41. Triumph variety of persimmon shipped from Israel directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
42. Tomato shipped from Belgium directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
43. Kent variety and Tommy Atkins variety of mango shipped from Brazil directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
44. Cherry shipped from Tasmania directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
45. Tarocco variety, Sanguinello variety and Moro variety of sweet orange shipped from Italy directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
46. Live tubers of potato shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
47. Tomato shipped from Mexico directly to Japan
48. Alphonso variety, Kesar variety, Chausa variety, Banganpalli variety, Mallika variety and Langra variety of mango shipped from India directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
49. Underground portions of live plants of the genera Anthurium shipped from Hawaiian Islands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
50. Harumanis variety of mango shipped from Malaysia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
51. Tommy Atkins variety of mango shipped from Colombia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
52. *Hylocereus undatus* and *H. undatus* × *H. costaricensis* shipped from Viet Nam directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
53. Kent variety of mango shipped from Peru directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
54. Barlinka variety of grape shipped from South Africa directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
55. *Hylocereus* spp. (limited to *H. undatus*, *H. costaricensis*, *H. polyrhizus* and hybrids of these species) shipped from Chinese Taipei directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
56. *Citrus sinensis* including orange, *C. reticulata* × *C. sinensis* including the hybrid of mandarin and orange, *C. limon* including lemon, *C. paradisi* including grapefruit and *C. reticulata* including mandarin shipped from Türkiye directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries

57. Sindhri variety and Chaunsa variety of mango shipped from Pakistan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
58. Thong Dee variety of pomelo shipped from Thailand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
59. Grape (limited to *Vitis vinifera*) shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
60. Hass variety of avocado shipped from Peru directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
61. Cat Chu variety of mango shipped from Viet Nam directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
62. Pepper (capsicum) shipped from Canada directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
63. Ziziphus mauritiana shipped from Chinese Taipei directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
64. Hass variety of avocado shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
65. *Citrus unshiu* shipped from Peru directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
66. *Citrullus colocynthis* shipped from areas excluding Africa and is not moved through Africa.
67. *Cucurbita maxima* shipped from areas excluding Africa and is not moved through Africa.
68. Summer squash shipped from areas excluding Africa and is not moved through Africa.
69. Bottle gourd shipped from areas excluding Africa and is not moved through Africa.
70. Hass variety of avocado shipped from Colombia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
71. Thieu variety of litchi shipped from Viet Nam directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
72. Hass variety of avocado shipped from Israel directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
73. *Citrus sinensis* including orange, *C. reticulata* × *C. sinensis* including the hybrid of mandarin and orange, *C. limon* including lemon, *C. paradisi* including grapefruit, *C. reticulata* including mandarin and *C. clementina* including clementine shipped from Egypt directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
74. Kedrostis hirtella shipped from areas excluding Africa and is not moved through Africa.
75. Ridge gourd (*Luffa acutangula*) shipped from areas excluding Africa and is not moved through Africa.
76. Sponge gourd (*Luffa cylindrica* (syn. *Luffa aegyptiaca*)) shipped from areas excluding Africa and is not moved through Africa.
77. Longan shipped from Viet Nam directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
78. *Citrus reticulata* including mandarin and *C. clementina* including clementine shipped from Morocco directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
79. Grape (limited to *Vitis vinifera*) shipped from Peru directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
80. *Vitis* spp. shipped from Mexico (excluding Chiapas state) and is not moved through areas listed in item 18 of the Annexed Table 2
81. *Citrus* spp. shipped from Mexico (excluding Chiapas state) and is not moved through areas listed in item 18 of the Annexed Table 2
82. *Rubus* spp. shipped from Mexico (excluding Chiapas state) and is not moved through areas listed in item 18 of the Annexed Table 2
83. *Vaccinium* spp. shipped from Mexico (excluding Chiapas state) and is not moved through areas listed in item 18 of the Annexed Table 2
84. Papaya shipped from Mexico (excluding Chiapas state) and is not moved through areas listed in item 18 of the Annexed Table 2
85. Yellow pitahaya shipped from Colombia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries

86. Grapefruit, sweet orange, mandarin and mineola shipped from Mexico directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
87. Mango shipped from Mexico directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
88. Fresh fruits akee, acerola, icaco plum, carambola, sapodilla, jaboticaba, caimito, plum, kumquat (oval), mango, peach, Singapore almond, apple, Diospyros, Spondias, Psidium, Annona, Syzygium, Citrus (excluding lime (*Citrus latifolia*, *Citrus aurantiifolia*) and lemon (*Citrus limon*)) and Eugenia shipped from State of Florida, United States of America, directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
89. Hass variety of avocado shipped from South Africa directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
90. Hass variety of avocado shipped from Brazil directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
91. Hass variety of avocado shipped from Philippines directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
92. Grossum variety of pepper shipped from Mexico directly to Japan