



DEAS 1322: 2026

ICS 67.200.20

EAST AFRICAN STANDARD

Sunflower seeds for oil extraction — Specification.

EAST AFRICAN COMMUNITY

Copyright notice

This EAC document is copyright-protected by EAC. While the reproduction of this document by participants in the EAC standards development process is permitted without prior permission from EAC, neither this document nor any extract from it may be reproduced, stored or transmitted in any form for any other purpose without prior written permission from EAC.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to EAC's member body in the country of the requester:

© East African Community 2024 — All rights reserved
East African Community
P.O. Box 1096,
Arusha
Tanzania
Tel: + 255 27 2162100
Fax: + 255 27 2162190
E-mail: eac@eachq.org
Web: www.eac-quality.net

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement. Violators may be prosecuted.

Foreword

Development of the East African Standards has been necessitated by the need for harmonizing requirements governing quality of products and services in the East African Community. It is envisaged that through harmonized standardization, trade barriers that are encountered when goods and services are exchanged within the Community will be removed.

The Community has established an East African Standards Committee (EASC) mandated to develop and issue East African Standards (EAS). The Committee is composed of representatives of the National Standards Bodies in Partner States, together with the representatives from the public and private sector organizations in the community.

East African Standards are developed through Technical Committees that are representative of key stakeholders including government, academia, consumer groups, private sector and other interested parties. Draft East African Standards are circulated to stakeholders through the National Standards Bodies in the Partner States. The comments received are discussed and incorporated before finalization of standards, in accordance with the Principles and procedures for development of East African Standards.

East African Standards are subject to review, to keep pace with technological advances. Users of the East African Standards are therefore expected to ensure that they always have the latest versions of the standards they are implementing.

The committee responsible for this document is Technical Committee EASC/TC 015, *Oil seeds, edible fats and oils*.

Attention is drawn to the possibility that some of the elements of this document may be subject of patent rights. EAC shall not be held responsible for identifying any or all such patent rights.

Sunflower seeds for oil extraction — Specification

1 Scope

This East African Standard specifies requirements, sampling and testing methods for sunflower (*Helianthus annuus*. L) seeds intended for oil extraction for human consumption.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CXC 1, General principles of food hygiene

EAS 901, Cereals and pulses - Test methods.

ISO 664, Oilseeds - Reduction of laboratory sample to test sample

ISO 665 Oilseeds — Determination of moisture and volatile matter content

ISO 658 Oilseeds — Determination of content of impurities

ISO 659 Oilseeds — Determination of oil content (Reference method)

ISO 16050 Foodstuffs — Determination of aflatoxin B1, and the total content of aflatoxins B1, B2, G1 and G2 in cereals, nuts and derived products — High-performance liquid chromatographic method

ISO 21294 Oilseeds — Manual or automatic discontinuous sampling.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at <http://www.electropedia.org/>

— ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

sunflower seeds

seeds of the plant species *Helianthus annuus*. L)

3.2

foreign matter

any organic or inorganic matter other than sunflower seeds.

3.3 immature or shrivelled seeds

sunflower seeds that lack physiological maturity or full development.

3.4

damaged seeds

seeds and pieces of sunflower seeds that are broken, diseased, pest damaged, frost damaged, or otherwise damaged or of such quality affecting their quality, damaged, or pest damaged, or otherwise damaged or of such quality affecting their quality.

3.5

broken seeds

seeds that are not whole

3.6

pest damaged

seeds which show damage or attack by rodents, insects, mites or other pests that may be noticed without cutting the seeds to examine the inside.

3.7

noxious seeds

seeds or parts of sunflower seeds which, if present can have a damaging or dangerous effect on health and sensory properties.

3.8

dehulled seeds

sunflower seeds that have the hull partially and completely removed from the sunflower kernel.

3.9

heat damaged

Sunflower seeds which, after being crushed, exhibit a predominantly brown discoloration.

3.10

sclerotes

mass of fungal tissue produced by the fungus *Sclerotinia sclerotium*

3.11

sprouted seeds

seeds in which the seed coat has been split and the primary root has emerged. It includes grains or kernels where the primary root has been knocked off during the harvesting or handling process.

4 Requirements

4.1 General requirements

Sunflower seeds for oil extraction shall be:

- a) practically free from visible mould;
- b) physiologically mature;
- c) free from musty, sour, or undesired odours;
- d) practically free from foreign matter;
- e) free from pest infestation;

and

g) have colour characteristic of the variety

4.2 Specific requirements

Sunflower seeds for oil extraction shall comply with specific requirements given in Table 1 when

Tested in accordance with the methods specified therein.

Table 1- Specific requirements for sunflower seeds for oil extraction

S/N	Characteristic		Requirement	Test method
	Moisture content, % (m/m), max.		9	ISO 665
	Noxious seeds, (count per 0.5L), max.	Datura	2	EAS 901
		Wild oats	3	

5 Grading

Where grading is required, sunflower seeds for oil extraction shall comply with the requirements given in table 2 when tested in accordance with the test methods specified therein.

Table 2-Grading requirements for sunflower seeds for oil extraction.

Characteristic	Requirement			Test method
	Grade 1	Grade 2	Grade 3	
Oil content (on dry basis) (% m/m)	>38	25-38	<25	ISO 659
Foreign matter, % (m/m), max,	2	3	4	ISO 658
Immature/shrivelled, % (m/m), max.	1	2	2	Annex A
Other grains, % (m/m), max	0.5	2	3	EAS 901
Dehulled seeds, % (m/m), max	5	5	5	Annex A

Sclerotes, % (m/m), max	1	2	4	Annex A
Heat damaged seeds, % by count, max	0.5	1	2	Annex A
Mouldy seeds, % (m/m), max	1	1	1	Annex A
Sprouted seeds, % (m/m), max	1	2	3	Annex A
Damaged seeds % (m/m), max	5	8	10	Annex A

6 Contaminants

6.1 Pesticide residues

Sunflower seeds for oil extraction shall comply with those maximum residue limits as established by Codex Alimentarius Commission.

6.2 Aflatoxins

Aflatoxin level for sunflower seeds for oil extraction shall not exceed maximum limits as given in Table 3 when tested in accordance with test method specified therein:

Table 3- Aflatoxin limits for sunflower seeds for oil extraction

S/N	Aflatoxins	Maximum limit (µg/kg)	Method of test
	Total aflatoxin	15	ISO 16050
	Aflatoxin B1	5	

7 Hygiene

Sunflower seeds shall be produced, prepared and handled in accordance with EAS 39.

8 Packaging

Sunflower seeds for oil extraction shall be packaged in food grade packaging material that provides guarantees for hygiene, nutritional, technological and organoleptic qualities of the product.

9 Labelling

In addition to the requirements given in EAS 38, the product shall be legibly and indelibly labelled with the following information:

- a) product name as “sunflower seeds for oil extraction”.
- b) grade if applicable

11 Sampling

Sampling and sample preparation for test shall be done in accordance with ISO 21294 and ISO 614 respectively.

(Annexive)

A.1 Determination of immature seeds

A.1.1. Obtain a working sample of at least 20 g from a screened sample free of foreign matter

A.1.2. Shell the seed in the working sample by hand or with a machine so that nucleus portions thereof are retained.

A.1.3. Remove all immature sunflower seed from the quantity thus shelled and determine the mass thereof.

A.1.4. Determine the percentage of immature seeds as follows;

$$i/I \times 100$$

Where;

i is the weight of the immature seeds and

I is the total weight of the sample

A.2 Determination of damaged seeds

A.2.1. Obtain a working sample of at least 20g from a screened sample free of foreign matter and sclerotia.

A.2.2. Shell the seed in the working sample by hand or with a machine so that nucleus portions thereof are retained.

A.2.3. Remove all damaged sunflower seed from the quantity thus shelled and determine the mass thereof.

A.2.4. Determine the percentage of damaged seeds as follows;

$$d/D \times 100$$

Where:

d is the weight of the damaged seeds and

D is the total weight of the sample.

A.3 Determination of mouldy seeds

A.3.1. Divide the sample to the appropriate representative portion of 100g

A.3.2. Handpick the representative portion for visually mouldy seeds.

A.3.3. Determine the percentage by weight as follows;

$$m/M \times 100$$

Where:

m is the weight of mouldy seeds and

M is the total weight of the sample.

A.4 Determination of dehulled seeds

A.4.1 Divide the sample to the appropriate representative portion of 100g

A.4.2. Separate the dehulled seeds from the unhulled seeds.

A.4.3. Weigh the dehulled seeds separately.

A.4.4. Determine the percentage of dehulled seeds as follows;

$$h/H \times 100$$

Where;

h is the weight of dehulled seeds and

H is the total weight of the sample

A.5. Determination of sclerotes

A.5.1 Divide the sample to the appropriate representative portion of 100g

A.5.2 Handpick the representative portion for sclerotes (visually white but when hard, become small black structures which vary in size and shape)

A.5.3 Determine the weight of the handpicked sclerotes

A.5.4 Determine the percentage sclerotes as follows.

$$s/S \times 100$$

where;

s is the weight of the sclerotes and

S is the weight of the total sample

A.6. Determination of heat damaged seeds

A.6.1. Clean and divide the sample to the appropriate representative portion of 1000 seeds

A.6.2. Make a crush over the sample.

A.6.3. Visually examine the colour of crushed seeds for evidence of heating.

A.6.4. Count and determine the percentage of heated seeds as follows;

$$hd/HD \times 100$$

Where:

hd is the number of heat damaged seeds and

HD is the total count of the sample.

Note: Heated seeds of other grains are included in the tolerance for Heated.

A.7. Determination of sprouted seeds

A.7.1. Divide the sample to the appropriate representative portion of 100g

A.7.2. Handpick the representative portion for visually sprouted seeds.

A.7.3. Determine the percentage by weight where appropriate as follows;

$$sp/SP \times 100$$

Where;

sp is the weight or number of sprouted seeds and

SP is the total weight of the sample.

Bibliography

DKS: 3019:2025, Sunflower seeds for oil extraction—Specification